



# OCULAR INSTRUMENTS PRODUCT CATALOG



# Vision



It is both our business and our guiding principle. For over 50 years we have stayed focused on a single ideal: to create and produce ophthalmic lenses of unparalleled sharpness and clarity.

And while we have continually challenged ourselves to create breakthrough lens systems that take the forefront of the ophthalmic industry, we are at the same time committed to continually improving the features and durability of all our product lines.

Our personal focus, however, has always been clearly on you. We are not just driven. We are customer driven.

We believe our quest for higher performance and the pursuit of perfection is why so many leading doctors consistently choose the products of Ocular Instruments.



**Creating Solutions to Save Sight** 





## Latest Product Releases



Mainster Wide Field EX MaxAC<sup>®</sup> Series Vitreolysis Lens Sets Max360<sup>®</sup> Series SecureFlex<sup>®</sup> Surgical Gonioprism Hill Open Access Surgical Gonio Upright 1.3X Surgical Gonioprism Swan Jacob 8mm A/C Gonioprism Landers Wide Field Corneal Window Symons OCT Image Enhancing Reichel OCT Steady Eye Fundus 1.0mm



## MAINSTER

#### OCULAR MAINSTER WIDE FIELD EX

Our newest member to the Mainster line of ophthalmic contact lenses: The NEW Ocular Mainster Wide Field EX Laser Lens.

The NEW Mainster Wide Field EX Laser lens features maximum performance with reduced reflections, higher image contrast and resolution.

Excellent choice for panretinal photocoagulation in proliferative diabetic retinopathy.

The new enhanced wide field features:

- EXtra resolution
- EXtra field of view
- EXtra image contrast
- EXtra light remittance

Product Code			0	Laser Spot Mag		
OMRA-WFEX	138°	157°	64x	1.56x	15.5mm	26.5mm

## MAXAC® SERIES

#### OCULAR MAXAC<sup>®</sup>CAPSULOTOMY

NEW MaxAC<sup>\*</sup> Capsulotomy STEAM STERILIZABLE lens, features high quality glass optic,13.2mm contact diameter, 1.8x magnification, and economical reprocessing. Stabilizes the patients eye and minimizes the possibility of pitting the IOL during Nd:YAG laser capsulotomy.

Compatible with all standard steam sterilization cycles...Most importantly it lowers the cost per use.

	Image	Laser	Contact	Lens
Product Code	Mag.	Spot Mag.	Diam.	Height
OAYAAC	1.8x	.56x	13.2mm	17.3MM

#### **OCULAR MAXAC® 20D SMALL LENS**




High resolution 20 diopter lens offered at the same comfortable diameter as our traditional 28D lens. More ergonomic than the traditional 20D\* for smaller patients. Glass aspheric design features high transmittance glass for bright, clear images. STEAM AUTOCLAVABLE.

\* Ocular Instruments 0I-20M clear aperature = 48mm

Product Code	Image Mag.	Laser Spot Mag.	Static FOV	0		Lens Weight
OI-20AS	3.0x	.33x	40°	47mm	38.5mm	39g







#### **OCULAR VITREOLYSIS LENS SETS**

Custom walnut wood case sets for the Karickhoff and Peyman Wide Field Vitreous lenses. Two lens set contains the Ocular Karickhoff 21mm Vitreous and 30mm Vitreous Off-Axis lenses. Three lens set contains the Ocular Peyman Wide Field Vitreous 18mm, Karickhoff 21mm Vitreous and 25mm Vitreous Off-Axis lenses.

Product Code	Description
OJK-2S	Vitreolysis Two Lens Set
OJK-3S	Vitreolysis Three Lens Set

Lenses also sold seperately, see pages 17 - 18.







Karickhoff 21mm Vitreous

Karickhoff 30 mm Vit. Off-Axis





Peyman WF

18mm Vitreous







Karickhoff 25mm Vit. Off-Axis

## MAX360® SERIES

#### **OCULAR MAX360® THREE MIRROR LENS**

Our Three Mirror Universal lens now features our revolutionary rotating ring. Greatly improves rotational control while eliminating the need for two handed adjustments. Single hand rotation reduces procedure time by symplifying the process and significantly reduces lens decoupling. Bidirectional ergonomic 360 degree rotational ring with 12 clock hour positions for easy reference. Three mirrors angled at 59°, 67° and 73°. Features our LaserLight<sup>\*</sup> anti-reflective coating. Anterior ring can be easily removed for cleaning. Available in four models: Standard, with Flange, NMR (no methylcellulose required) and Small Fissure.

Product Code	Style	Image Mag.	Laser Spot Mag.	Contact Diam.	Lens Height	Static <u>Gonio FOV</u>
OG3MSA-IR	Standard	.93x	1.08x	18mm	34mm	140°
OG3MSA-2-IR*	NMR	.93x	1.08x	16mm	34mm	140°
OG3MSFA-IR	with flange	.93x	1.08x	20mm	35mm	140°
OG3MSA-SF-IR*	Small Fissure w/flange	.93x	1.08x	16mm	39.mm	140°

U.S. Patent #8,861,061

\* No methylcellulose required



Max360® Three Mirror Standard



Max360® Three Mirror with Flange



Max360® NMR Three Mirror



Max360® Three Mirror Small Fissure

















#### OCULAR KAPETANSKY GRADING GONIO LENS

Addition to our revolutionary Max360° Series line of rotating gonio lenses, exclusively from Ocular Instruments, this modified Magna View Gonio lens incorporates reference features that aid in the efficient documentation of the anterior chamber angle. 200 and 400 micron steps as well as a six color reference pallet are placed opposite the mirror to be viewed adjacent to the angle structures during the procedure. Lens rotationally indexes in 45 degree increments for accurate repeatable registration of angle observations and documentation. The lens is a convenient clinical comparator for assessing trabecular meshwork pigmentation. It is also a useful glaucoma teaching aid.



Product Code	Gonio Mag.	Gonio Laser Spot Mag		Lens Height	Static Gonio FOV
OMVGLK-2-IR	1.3x	.77x	17mm	34mm	160°

Designed with Fredercick M. Kapetansky, M.D., Columbus, OH U.S. Patent #8,861,061

#### OCULAR MAX360° MAGNA VIEW GONIO LENS

The best lens available for gonioscopy and laser trabeculoplasty, now features our revolutionary rotating ring. This 1.3x magnified gonio lens indexes in 8 positions for 45 degree positioning. Effortless single handed rotation reduces procedure time by symplifying the process and significantly reduces lens decoupling. Large bright image is one of the most recommended lenses for anterior chamber angle digital photgraphy. Bidirectional ergonomic 360 degree rotational ring. One 62°mirror. Suitable for Argon/Diode or YAG laser treatment.

	Gonio	Gonio Laser	Contact	Lens	Static
Product Code	Mag.	Spot Mag	Diam.	Height	Gonio FOV
OMVGLF-IR	1.3x	.77x	18mm	24.5mm	160°

U.S. Patent #8,861,061

#### OCULAR LATINA 1X INDEXING PSLT LENS

Latina 1X Pattern Scanning Laser Trabeculoplasty (PSLT) lens featuring our revolutionary integrated indexing ring. Provides a rotational reference for each pattern of laser spots. The lens "clicks" into 32 positions that coincide with the embedded reference bar within the lens. Anterior ring allows trouble free one handed rotation of the lens that provides a quick and precise location at each 11.25° of rotation. Can be used with all Selective Laser Trebeculoplasty procedures. The anterior ring can be easily removed for cleaning.



Product Code		Gonio Laser Spot Mag.		Lens Height	Field of View
OL1PLTF	1.0x	1.0x	18mm	34mm	130°

U.S. Patent #7,766,480

U.S. Patent #8,861,061



#### OCULAR LATINA 5 BAR INDEXING SLT LENS

Latina SLT laser lens now features our revolutionary rotating ring. Integrated indexing ring provides rotational reference for each series of laser spots. The rotating ring locates in 10 positions that coincide with the 5 high contrast reference bars\* embedded within the lens. Allows you to position or locate the laser spot and identify where to locate the next one with precision. Single handed rotation design eliminates the need to use both hands in repositioning the lens. Anterior ring can be easily removed for cleaning. Available with the Ocular Securefit\* flange for increased stability.



\*5 bars spaced 400 microns apart give visual reference for 10 laser spot locations

Product Code	Gonio Mag.	Gonio Laser Spot Mag.	Contact Diam.	Lens Height	Field of View		
OL5SLT-IR	1.0x	1.0x	14.5mm	33mm	130°		
OL5SLTF-IR (w/flange)	1.0x	1.0x	18mm	34mm	130°		
Designed with Mark A. Latina, MD, Reading, MA							

U.S. Patent #7,766,480

U.S. Patent #8,861,061



#### **OCULAR HWANG-LATINA 5.0 INDEXING SLT LENS**

Hwang-Latina 5.0 SLT lens now features our revolutionary integrated indexing ring. Provides rotational reference for each series of laser spots. The ring "clicks" into 8 positions that coincide with the embedded high contrast reference bar within the lens. The reference bar provides a visual guide for placement of sub-threshold laser spots and identifies where to pinpoint the next one. Provides same easy estimation of a 45° section of the trabecular meshwork at width of 5mm, as the orginal Hwang-Latina 5.0 SLT. Available with the Ocular Securefit flange for increased stability.



124		umumme
PIH.	INC.	I HWANG



Gonio Gonio Laser Contact Lens Field Product Code Mag. Spot Mag. Diam. Height of View OHLSLT-IR 1.0x 1.0x 14.5mm 33mm 130° OHLSLTF-IR (w/flange) 1.0x 18mm 34mm 130° 1 0x Designed with Sungjun Hwang, MD, Canandaigua, NY

Designed min Sangjan IInang, IID, Canane

U.S. Patent #7,766,480

U.S. Patent #8,861,061

## SURGICAL GONIOPRISM



#### **OCULAR SECUREFLEX® SURGICAL GONIOPRISM**

"The first Hands Free gonioscopy lens for anterior chamber angle surgical procedures". Exclusively from Ocular Instruments, Inc.

This Flexible optic design resists decoupling from patients' eyes during surgical procedures.

Unique self retaining feature eliminates hand-held manipulation required by other competitive lenses; creating a bi-manual surgical experience. Visualization for MIGS type procedures

Product Code	Gonio	Static	Contact	Lens
	Mag	FOV	Diam.	Height
OSIG	1.2x	90°	15.5mm	14.3mm

#### **OCULAR HILL OPEN ACCESS SURGICAL GONIO**

Perfectly suited for MIGS, Goniotomy and Direct viewing surgical gonioscopy procedures, the Open Access Design gives increased clearance to the clear cornea. Particularly useful for patients with smaller eye structures where the traditional Hill may press on or even cover the incision site. Also excellent choice when the procedure calls for insertion devices requiring additional corneal access. Steam sterilizable. Available in both left hand and right hand versions.

	Gonio	Surface	Static	Handle
Product Code	Mag.	Area	FOV	Length
OHSOG-LH (held in left hand)	1.20x	54mm	90°	78mm
OHSOG-RH (held in right hand)	1.20x	54mm	90°	78mm

#### OCULAR UPRIGHT 1.3X SURGICAL GONIOPRISM

Perfectly suited for MIGS, Goniotomy and Direct viewing surgical gonioscopy procedures WITHOUT TILTING the microscope head! Very good image resolution and magnification. The small size and upright view allow a full 360 degree view of the anterior chamber angle by simply rotating the lens. Excellent choice for anterior chamber inspection during vitrectomy surgery or for delicate ab interno surgical glaucoma procedures. Steam sterilizable. Handle can be disassembled for cleaning and disinfection.

Product Code	Gonio Mag.	Contact Diam	Static FOV	Handle Length
OUSG-1.3X-H	1.30x	11.2mm	45°	78mm

Patent Pending

#### **OCULAR SWAN JACOB 8MM AUTOCLAVABLE GONIOPRISM**

Popular Swan Jacob Gonioprism lens with an 8mm diameter contact. Suitable for laboratory animals and pediatrics. Produces a hi-resolution image of the anterior chamber angle. Designed for direct viewing gonioscopy and goniotomy. Small size makes this lens useful for pediatric postoperative gonioscopy. Anodized aluminum handle for easy manipulation. Glass optic with stainless steel and aluminum design is steam sterilizable.

	Gonio	Contact	Handle
Product Code	Mag	Diameter	Length
OSJAG8	1.50x	8mm	89mm













## ADDITIONAL PRODUCT RELEASES

#### **OCULAR SYMONS OCT IMAGE ENHANCING**

NEW Ocular Symons OCT Imaging Enhancing lens, boosts the ophthalmic images by correcting corneal abnormalities, reducing corneal reflections and increasing imaging beam transmittance. As a hand held device, the lens stabilizes the patient's eye to reduce image distorting micro movements, making it possible for a very high resolution image.High definition anti-reflection coating to minimize reflections. Compatible with other imaging techniques. Offered in two convenient flange sizes, 17mm and 20mm, for increased stability.

Product Code	Contact Diam	Lens Height
OSIE-17	17mm	15mm
OSIE-20	20mm	16.4mm

Designed with: Robert C. Andrew Symons, MBBS, Phd, FRANZCO, East Melbourne, VIC, Australia

#### OCULAR LANDERS WIDE FIELD CORNEAL WINDOW

Effectively shows a wide field view of the posterior segment during vitreoretinal surgery and is not limited by the need to accomodate a central trunk . Allows for sealing trephine sizes 6-8.2mm in addition to irregular shaped corneal openings. May be used for more types of corneal trauma cases, including those with large, irregular wounds.

Product Code	Image Mag.	Contact Diam	Static FOV					
OLTCW	2.30x	6-8.2mm	28°					
Designed with Maurice B. Landers III, MD, Chapel Hill, NC								

Journal Reference: Arch Ophthalmol., Vol. 129(8) pp. 1067-1069, August 2011

#### **OCULAR REICHEL OCT STEADYEYE**

Designed to manually stabilize the eye for enhanced OCT images intra-operatively. Stabilizes the eye while eliminating small eye movements for greater OCT image resolution. Sized so that it can be used during vitrectomy procedures without interfering with infusion ports. Centers optical axis without interfering OCT view. Functional for children as well as adults. Steam sterilizable.

Product Code	Inner Diam.	Outer Diam	Hancle Length				
OROCTS	DROCTS 12.7mm		95mm				
Designed with Elias Reichel, MD, Boston, MA							

#### **OCULAR FUNDUS 1.0 LENS**

NEW addition to our Research line of lenses, this lens is sized for fundus observation of Zebra fish and features optimal combination of magnification and field of view to document retinal neurons in-vivo. Also enables real time in-vivo serial examination, permitting temporal analysis of change to the retinal mosaic. Additionally the same retinal locations can be recovered and viewed at multiple time points. The handled design aids in alignment.

The most important feature is that fewer animals need to be euthanized over the course of the experiment.

Product Code	Contact Diam.	Lens Height	Hancle Length
OFA-1.0	1.0mm	4.6mm	140mm







## TABLE OF CONTENTS

COLOR-CODED REFERENCE TABS >

Laser Lenses	6
Laser Photocoagulation Lenses	6
YAG Laser Photodisruption and SLT Lenses	.16
Diagnostic Lenses	.20
Indirect Diagnostic/Laser Lenses	.27
Wide Angle Surgical Systems	.39
Surgical Lenses	.44
Scanning Laser Ophthalmoscope (SLO) Lenses	.55
Tonometers	.56
Research Lenses	.58
Educational Aids	.59
Cases	.60
Lens Accessories	.61
Cleaning Methods	.64
Laserlight <sup>®</sup> Anti-reflective Coatings	.66
Lens Materials	.66
Ordering Information	.67
Alphabetical Index	.68
Contact Information	.71



## SUBSPECIALTY INDEX

CATARACT			
	LENS		T T
hotocoagulation	Hoskins Nylon Suture		
	Layden Suture Lysis		_
	Mandelkorn Suture Lysis	GLAUCOMA	
uni en l	Ritch Nylon Suture	SECTION	
Surgical	Double Mirror Surgical Gonio Mori Upright Surgical Gonio	Diagnostic	
	Osher Gonio Post Pole		
	Osher Surgical Kit		
	Swan Jacob Gonio		
	Thorpe Gonio		
Tonometers	Kasaby Barraquer		
YAG Laser	Abraham Capsulotomy		
	Mandelkorn Irid/Caps		
	Peyman G Capsulotomy		
SECTION	LENS		
Surgical	Cobo Temp Kerato	Photocoagulation	
Surgical	Landers WF Temp Kerato		
	· · · · · · · · ·	_	
GENERAL EXA	MINATION		
SECTION	LENS		
Diagnostic	1X Four Mirror Autoclavable Gonio		
Diagnostic	Four Mirror Autoclavable Gonio		
	Fundus		
	Four Mirror Mini Gonio		
	Gaasterland 1X Four Mirror		
	Gaasterland Four Mirror Gonio		
	Karickhoff Khaw 1X Direct View Gonio		
	Khaw 4D Direct View Gonio		
	Коерре		
	Magna View Gonio		
	Single Mirror Gonio	Surgical	
	Thorpe Four Mirror Gonio Three Mirror		
	Three Mirror Three Mirror Autoclavable		
	Three Mirror HD		
	Two Mirror Gonio		
Indirect Diag/Laser	BIO: Various Powers		
5	Slit Lamp: Various Powers		
Photocoagulation	1.5X Magna View Gonio	YAG Laser	
	Four Mirror Mini Gonio		
	Fundus		
	Karickhoff		
	Magna View Gonio Magna View Two Mirror Gonio		
	Magna View Gonio Magna View Two Mirror Gonio Single Mirror Gonio		

PEDIATRIC		Indirect Diag/Laser	
<b>SECTION</b> Diagnostic	<b>LENS</b> Three Mirror 13mm Three Mirror 15mm Three Mirror 17mm		Landers ROP Lens Attachment Saxena Retinal Grid 428 Saxena Retinal Grid 520 Slit Lamp: Various Powers
	HD 3 Mirror - All Magna View Gonio Four Mirror Mini Gonio Posner Gonioprism Sussman Gonioprism Koeppe Gonio 17mm	Photocoagulation	Fundus Karickhoff Mainster High Mag Mainster PRP 165 Mainster (Std) Focal/Grid Mainster Wide Field PDT
Indirect Diag/Laser	MaxField 20D Small MaxLight 28D MaxField 28D MaxField 30D MaxField 35D MaxField 40D Landers ROP Attachment Saxena Retinal Grid 428		PDT 1.6X ProRetina 120 Reichel-Mainster 1X Reichel-Mainster 2X Three Mirror Three Mirror HD Yannuzzi Fundus
Surgical	Ped Vitrectomy Set Flat Vitrectomy w/handle Peyman Ped Wide Field	SLO	Lee-Mainster SLO Staurenghi Wide Field
	Khaw Surgical Gonio Swan Jacob Gonio		INAL SURGERY
	Hoskins Barkan Gonio -1,-2	SECTION	LENS
SLO	Staurenghi 13mm	Indirect Laser	20D, 28D Autoclavable Autoclavable Lens Stand
Photocoagulation	Reichel-Mainster 1X-P ProRetina 120 Three Mirror 13mm Three Mirror 15mm Three Mirror 17mm HD 3 Mirror - All Magna View Gonio Four Mirror Mini Gonio	Surgical	Disposable Vitrectomy Hexagonal Handle Vitr Landers Biconcave Vitr Landers Vitr Ring System Landers WF Temp Kerato Machemer Magnifying Vitr Pediatric Vitrectomy
REFRACTIVE			Peyman-Green Vitr Peyman Pediatric Wide Field
SECTION	LENS		Peyman Wide Field Vitr
Tonometers	Barraquer		Reichel Viscous Contact System Vitrectomy Lens Holder Vitrectomy Rings
RESEARCH		Surgical	Inverter Vitrectomy System
SECTION	<b>LENS</b> Kaufman Gonio Mouse Fundus Mouse Gonio Rat Fundus	Viewing Systems	Landers Equatorial Landers SVS Landers Wide Field Peyman-Wessels-Landers 132D Woldoff High Mag
	Staurenghi WF SLO 13mm	Tonometers	Barraquer
RETINAL EXA	M & LASER	YAG Laser	Karickhoff 21mm Vitreous Karickhoff Off-Axis Vitreous
SECTION	LENS		Peyman 12.5, 18, 25mm
Diagnostic	Fundus Karickhoff Three Mirror Three Mirror HD		

RETINA L	ENS COM	PARISO	N CHAR	Г							
LENS		PRORETINA 120 PB <sup>(3)</sup>	REICHEL- MAINSTER 2X	PRP 165	PDT 1.6X	WIDE FIELD EX	WIDE FIELD	REICHEL- MAINSTER 1X	(STANDARD) FOCAL/GRID <sup>(4)</sup>	PEDIATRIC REICHEL- MAINSTER 1X	HIGH MAG
IMAGE MAGNI	FICATION	.50X	.50X	.51X	.63X	.64X	.68X	.95X	.96X	1.08X	1.25X
LASER SP MAGNIFICATION	· · ·	2.00X	2.00X	1.96X	1.60X	1.56X	1.50X	1.05X	1.05X	.93X	.80X
STATIC FIELD	OF VIEW	120°	117°	165°	120°	138°	118°	102°	90°	98°	75°
DYNAMIC FIELD	) of view	136°	142°	180°	133°	157°	127°	133°	121°	126°	88°
RETINAL DISORDER <sup>(1)</sup>	PROCEDURE								0 0 0 0 0 0 0 0 0 0 0 0		
NVD, NVE or NVI	PRP, Clear Media									-	_
NVD, NVE or NVI	PRP, Vitreous Hemorrhage									-	-
Macular Edema	Focal + Grid										
CNV in ARMD	Focal	_	_	-	_	_	_			_	
or OHS	PDT									_	
Retinal Holes	Peripheral								_	_	_
			TIMAL	V E R Y	USEFUL	US E	EFUL -	NOT USEFU	L		

<sup>(1)</sup> NVD, NVE, NVI: neovascularization - disc, retina elsewhere, iris; CNV: choroidal neovascularization; ARMD: age-related macular degeneration; OHS: ocular histoplasmosis syndrome.

(2) Multiply the laser photocoagulator spot size setting by this magnification factor to calculate the retinal spot size produced by each lens.

<sup>(3)</sup> The ProRetina's tubular design facilitates examination and treatment of patients with prominent brows. It also allows easy lens manipulation for examination and treatment of the retinal periphery.

<sup>(4)</sup> Focal/Grid is the new name for the Mainster Standard.

ALL LASER LENSES USE CLEANING METHOD 1









Widest field of view available for panretinal photocoagulation. Unique optical design provides clear, bright image across the entire field. Light weight. Securefit<sup>\*</sup> flange for easy manipulation. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	Image Mag.	Laser Spot Mag.		-	Static FOV	Dynamic FOV
OMRA-PRP-165	.51x	1.96x	17.5mm	28mm	165°	180°
OMRA-PRP-165-2*	.51×	1.96x	16.5mm	27.5mm	165°	180°

#### **OCULAR MAINSTER WIDE FIELD**

For panretinal photocoagulation in proliferative diabetic retinopathy. Excellent ophthalmoscopic resolution. Image binocularity across the entire field of view. Allows a very wide range of slit lamp magnifications to be used. Now with our NEW Laserlight<sup>®</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	Image Mag.	Laser Spot Mag.		Lens Height	Static FOV	Dynamic FOV
OMRA-WF	.68x	1.50x	15.5mm	28mm	118°	127°
OMRA-WF-2*	.68x	1.50x	12mm	26.5mm	118°	127°

Journal references:

AJO, Vol. 117, pp 442-446, April 1994

American Academy of Ophthalmology, Vitreoretinal Update, Subspecialty Day 1999

#### OCULAR REICHEL-MAINSTER 1X RETINA

Superior optical resolution for detecting subtle fundus details such as retinal thickening and serous detachments. High axial and lateral magnifications facilitate the diagnosis and treatment of macular and retinal vascular disorders. Broad field of view provides versatility for focal, grid and panretinal photocoagulation. Ideal for photodynamic therapy and for treating choroidal neovascularization, diabetic retinopathy and retinal vascular occlusion. The ORMR-1X-P has a smaller contact diameter for pediatric patients. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	lmage Mag.	Laser Spot Mag.			Static FOV	Dynamic FOV
ORMR-1X	.95x	1.05x	16.5mm	30mm	102°	133°
ORMR-1X-2*	.95x	1.05x	15mm	29.5mm	102°	133°
ORMR-1X-P	1.08x	.93x	15mm	31mm	98°	126°

Journal reference: Seminars in Ophthalmology, 2001, Vol. 16, No. 2, pp 60-65.

Ocular Argon/Diode Lenses come with Laserlight\* coating for maximum brightness and easy cleaning, see page 66. \* No methylcellulose required



## LASER PHOTOCOAGULATION LENSES



**OCULAR MAINSTER (STANDARD) FOCAL/GRID** 

Designed for focal and grid laser treatment from the posterior pole to the mid-periphery. Excellent for diagnosis and treatment of macular edema, branch retinal vein occlusion, choroidal neovascularization in aging macular degeneration, and presumed ocular histoplasmosis. High resolution, high magnification image allows appreciation of subtle intra-retinal details and retinal thickening. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.



Product Code	Image Mag.	Laser Spot Mag.	Contact Diam.	Lens Height	Static FOV	Dynamic FOV
OMRA-S	.96x	1.05x	15.5mm	32.5mm	90°	121°
OMRA-S-2*	.96x	1.05x	12mm	31mm	90°	121°

Journal references: Ophthalmology Times, Vol. 15, No. 18, Sep 15, 1990; British Journal of Ophthalmology, Vol. 74, No. 3, pp 177-179, Mar 1990; Archives of Ophthalmology, Vol. 106, p 1640, Dec 1988

#### **OCULAR MAINSTER HIGH MAGNIFICATION**

Very high magnification for detecting and treating macular problems. Facilitates location of subtle vascular landmarks during macular photocoagulation that may be apparent angiographically but are hard to find without superior magnification.



Product Code	Image Mag.	Laser Spot Mag.				Dynamic FOV
OMRA-HM	1.25x	.80x	15.5mm	27.5mm	75°	88°
OMRA-HM-2*	1.25x	.80x	12mm	26.5mm	75°	88°

#### **OCULAR REICHEL-MAINSTER 2X**

Superior optical resolution for detecting subtle fundus details such as retinal thickening and serous detachments. Outstanding imaging performance through hazy ocular media. Broad field of view provides versatility for focal, grid and panretinal photocoagulation. Ideal for photodynamic therapy and for treating choroidal neovascularization, diabetic retinopathy and retinal vascular occlusion. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.




	Image	Laser Spot	Contact	Lens	Static	Dynamic
Product Code	Mag.	Mag.	Diam.	Height	FOV	FOV
ORMR-2X	.50x	2.00x	16.5mm	27.5mm	117°	142°
ORMR-2X-2*	.50x	2.00x	15.5mm	27mm	117°	142°

ALL LASER LENSES USE CLEANING METHOD 1 \* No methylcellulose required





#### OCULAR INSTRUMENTS





High resolution aspheric design for panretinal photocoagulation. Streamlined shape simplifies treatment of patients with prominent brows and allows easy lens manipulation to examine and treat the retinal periphery. The shape and features of this lens compares to the traditional Rodenstock Pan Fundus Lens. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.				1
OPR-120	.50x	2.00x	16mm	35.5mm	120°	136°
OPR-120-2*	.50x	2.00x	14mm	35mm	120°	136°

#### OCULAR PDT 1.6X

Exceptional lens for treatment of macular degeneration. Larger treatment area with high resolution. Unique design for ease of use and optimal image contrast. Now with our NEW Laserlight<sup>°</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.				1
OPDT	.63x	1.60x	15.5mm	32.5mm	120°	133°
OPDT-2*	.63x	1.60x	12mm	31mm	120°	133°

#### OCULAR FUNDUS

This "Goldmann" type fundus lens provides clear visualization of the posterior pole. Using the NMR-K (Kapetansky) style contact surface design, direct examination and laser treatment of the posterior pole can be performed without methylcellulose.

Product Code	lmage Mag.	Laser Spot Mag.		Lens Height	Static FOV
OGFA	.93x	1.08x	15.5mm	16.5mm	36°
OGFA-2*	.97x	1.03x	15.5mm	16.5mm	35°

#### OCULAR YANNUZZI FUNDUS

Designed for viewing and treatment of the posterior pole. Large scleral flange allows greater control of the globe.


Product Code	Image Mag.	Laser Spot Mag.		Lens Height	Static FOV
OYFA	.93x	1.08x	20mm	16.5mm	36°

#### Journal reference: AJO, Vol. 101, No. 5, pp. 619-620, May 1986

Ocular Argon/Diode Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.







LASER PHOTOCOAGULATION LENSES



#### **OCULAR ABRAHAM IRIDECTOMY**

A 66D magnifying lens for viewing the patient's iris. The power density of the laser beam at the iris is increased 2.5x compared with a flat lens. A 50 micron spot size setting yields a 31 micron spot on the iris. The lens provides additional safety by reducing the power density at the cornea and retina by 2.8x.




	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OAIA	1.60x	.63x	15.5mm	16.5mm

Journal references: Int'l Ophthalmology Clinic Glaucoma Surgery, Vol. 21, No. 1, Spring 1981; Ophthalmic Surgery, Vol. 11, No. 8, pp. 506-515, August 1980; Ophthalmic Surgery and Lasers, Vol. 27, No. 3, pp. 209-227, March 1996; Perspectives in Ophthalmology, Vol. 4, No. 2, pp. 129-138, June 1980

#### **OCULAR WISE IRIDOTOMY-SPHINCTEROTOMY**








	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OWISA	2.60x	.38x	15.5mm	15mm

Journal references: AJO, Vol. 101, No. 5, pp. 546-553, May 1986 Ophthalmic Surgery, Vol. 27, No. 3, pp. 209-227, March 1996

#### **OCULAR KARICKHOFF**

Four mirrors plus a central axis view give a complete view of the interior of the eye. Unique "depth dots" mark each mirror at the base for easy orientation. One dot, 62° (anterior chamber angle); two dots, 67° (ora serrata); three dots, 76° (mid-equator); four dots, 80° (mid-peripheral area). The mirrors provide fields of view that overlap completely. Gonio mag .80x. Gonio laser spot mag 1.25x.






Journal references: Optometry Today Supplement, pp. 23-24, September 1992 Optometric Management, Vol. 35, No. 6, June 2000





#### OCULAR INSTRUMENTS

#### **OCULAR THREE MIRROR UNIVERSAL**





Product Code	Style	Image Mag.	Laser Spot Mag.	Contact Diam.	Lens Height	Static Gonio FOV
)G3MA	Universal	.93x	1.08x	18mm	32mm	140°
)G3MA-2*	NMR	.93x	1.08x	16mm	32mm	140°
)G3MFA	with flange	.93x	1.08x	20mm	33mm	140°
)G3MIA	15mm	.93x	1.08x	15mm	28mm	140°
)G3MPA	17mm	.93x	1.08x	17mm	26mm	140°
)G3MSA	Short	.93x	1.08x	18mm	24mm	140°
)G3MSA-2*	NMR Short	.93x	1.08x	16mm	23mm	140°
)G3MA-13*	NMR Small	.93x	1.08x	13mm	28mm	140°
	Fissure					

Optometric Management, Vol. 35, No. 6, June 2000 lournal reference.

The Journal of Ophthalmic Photography, Vol. 26, No. 1, pp. 13-19, Spring 2004

#### **OCULAR HIGH DEFINITION THREE MIRROR**

Provides mirrors for examination of the fundus and the anterior chamber angle. High index glass three mirror lens with our Laserlight<sup>\*</sup> HD antireflective coating for maximum light transmission and image brightness. One 64° gonio mirror and two fundus mirrors, 73° and 67°. Fundus images overlap, no "blind spot" in fundus field. Outstanding for laser and diagnostic applications15mm or 17mm flange adapters recommended for laser procedures. Compatible with visible and near infrared lasers. Methylcellulose not required.


Product Code	Image Mag.	Laser Spot Mag.	Contact Diam.	Lens Height	Static Gonio FOV
OG3MHD-10*	.65x	1.54x	10mm	25.0mm	150°
OG3MHD-15*	.65x	1.54x	15mm	26.5mm	150°
(OG3MHD-10 Lens w/0	DACF-15 flang	ge)			
OG3MHD-17	.65x	1.54x	17mm	27.5mm	150°
	0.4.05.4.7.0			1 15	

(OG3MHD-10 Lens w/OACF-17 flange; methylcellulose recommended)

Flanges also sold separately, see accessory section.

U.S. Patent #6,767,098

0





Ocular Argon/Diode Lenses come with Laserlight<sup>®</sup> coating for maximum brightness and easy cleaning, see page 66.

## LASER PHOTOCOAGULATION LENSES

#### **OCULAR MAGNA VIEW GONIO**

The best lens available for gonioscopy and laser trabeculoplasty. One 62°mirror. Tilted anterior surface corrects image and laser beam astigmatism. Unsurpassed resolution. The best lens for anterior chamber angle photography. Can be used on most patients without methylcellulose. Suitable for Argon/Diode or YAG laser treatment. Available with the Ocular Securefit<sup>\*</sup> flange.



	Gonio	Gonio Laser	Contact	Lens	Static
Product Code	Mag.	Spot Mag	Diam.	Height	Gonio FOV
OMVGL	1.3x	.77x	15mm	23.5mm	160°
OMVGLF (w/flange)	1.3x	.77x	18mm	24.5mm	160°


#### OCULAR MAGNA VIEW TWO MIRROR GONIO


In the same spirit as our popular single mirror design, the Two Mirror Magna View gives unsurpassed image resolution and magnification of the anterior chamber angle. The 1.45x gonio magnification provides fine detailed viewing of the anterior chamber angle structures. The second mirror reduces the amount of lens rotation needed to view the total 360° of the anterior chamber. Excellent lens for detailed high resolution digital and traditional photography. Laserlight<sup>\*</sup> HD anti-reflective coating for maximum light transmission and image brightness. Available with the Ocular Securefit<sup>\*</sup> Flange.



	Gonio	Gonio Laser	Contact	Lens	Static
Product Code	Mag.	Spot Mag.	Diam.	Height	Gonio FOV
OMV2G	1.45x	.69x	15mm	26mm	160°
OMV2GF (w/flange)	1.45x	.69x	18mm	27mm	160°

#### **OCULAR 1.5X MAGNA VIEW GONIO**





	Gonio	Gonio Laser	Contact	Lens	Static
Product Code	Mag.	Spot Mag	Diam.	Height	Gonio FOV
OMVGL-1.5X	1.5×	.67x	14.5mm	25mm	120°
OMVGLF-1.5X (w/flange)	1.5x	.67x	15.5mm	25mm	120°

Patent Pending

ALL LASER LENSES USE CLEANING METHOD 1 \* No methylcellulose required

#### OCULAR INSTRUMENTS



VIEW GO





Magna View Gonio lens featuring a staircase shaped reference indicator that provides convenient reference to anterior chamber objects for longitudinal and comparative studies. Seven (7) stair steps imaged at approximately 200um in height. Excellent lens for digital photography and video. Available with the Ocular Securefit<sup>®</sup> flange.



	Gonio	Gonio Laser	Contact	Lens	Static
Product Code	Mag.	Spot Mag.	Diam.	Height	Gonio FOV
OMVG200	1.3x	.77x	15mm	23.5mm	160°
OMVG200-2*	1.3x	.77x	15mm	23.5mm	160°
OMVGF200 (w/flange)	1.3x	.77x	18mm	24.5mm	160°

#### **OCULAR SINGLE MIRROR GONIO**

Small size gonio lens with one 62° mirror. Compact knurled ring simplifies 360° viewing and treatment of the anterior chamber angle. The -2 model with NMR-K (Kapetansky) style contact surface design allows gonioscopy and laser trabeculoplasty without methylcellulose. Available with the Ocular Securefit<sup>®</sup> flange.

Product Code	Gonio Mag.	Gonio Laser Spot Mag.			Static Gonio FOV
OSMGA	.80x	1.25x	15mm	21mm	170°
OSMGA-2*	.80x	1.25x	15mm	21mm	170°
OSMGFA (w/flange)	.80x	1.25x	17mm	21.5mm	170°

Ophthalmic Surgery, Vol. 19, No. 6, pp. 414-416, June 1988; Optometry Today Supplement, Journal references: pp. 23-24, September 1992; Optometric Management, Vol. 35, No. 6, June 2000

#### **OCULAR TWO MIRROR GONIO**


Two opposing 62° mirrors provide a complete view of the anterior chamber angle with only a 180° lens rotation. Methylcellulose and NMR-K (Kapetansky) no methylcellulose designs available. Available with the Ocular Securefit<sup>®</sup> flange.

Product Code		Gonio Laser Spot Mag.			Static Gonio FOV
O2MA	.80x	1.25x	15mm	21mm	170°
O2MA-2*	.80x	1.25x	15mm	20mm	170°
O2MFA (w/flange)	.80x	1.25x	17mm	21.5mm	170°



Ocular Argon/Diode Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.





LASER PHOTOCOAGULATION LENSES



#### **OCULAR FOUR MIRROR MINI GONIO**

Four 62° mirrors allow complete observation of the angle with little lens rotation. Small diameter flange is convenient for eyes with small palpebral fissures. Anterior holding ring available in small and large sizes.



Product Code		Gonio Laser Spot Mag.		_	0	Static Gonio FOV
O4GFA*	.80x	1.25x	15mm	23.5mm	23.5mm	120°
04GFA-LR*	.80x	1.25x	15mm	27mm	32.5mm	120°

A REAL PROVIDENCE OF CONTRACT OF CONTRACT.

### OCULAR THORPE FOUR MIRROR GONIO

Optometric Management, Vol. 35, No. 6, June 2000

Journal reference:

Four 62° mirrors give a 360° view of the anterior chamber angle with only a slight lens rotation. Posterior pole can be viewed through center of lens. Retina image mag .93x. Retina laser spot mag 1.08x.

Product Code	Gonio Mag.	Gonio Laser Spot Mag.			Static Gonio FOV
OT4MGA	.80x	1.25x	18mm	32mm	150°

Journal reference: Optometric Management, Vol. 35, No. 6, June 2000



#### **OCULAR RITCH TRABECULOPLASTY**

Designed with two 59° (round on top) and two 64° mirrors (flat on top). A 1.4x magnifying button is placed over one each of the 59° and 64° mirrors. The magnifying button reduces the laser spot size by 30% and increases the laser power by 2x. The 64° mirror is best for treating the superior 180° of the angle, while the 59° mirror is best for the inferior 180°.

Product Code		Gonio Laser Spot Mag.			Static Gonio FOV	
ORTA	1.40x	.71x	18mm	23mm	80°	

Journal reference: Review of Ophthalmology, Vol. 4, No. 6, pp. 97-100, June 1997



ALL LASER LENSES USE CLEANING METHOD 1 \* No methylcellulose required



#### **OCULAR MANDELKORN SUTURE LYSIS**

Designed for laser suture lysis after trabeculectomy or cataract surgery. The lens compresses conjunctival blood vessels and provides a clear view of the sutures. Allows complete visualization of the surgical site.

Product Code	Image Mag.	Laser Spot Mag.		Lens Height
OMSLA	1.32x	.76x	5.6mm	21mm

Journal references: Eye Net, Vol. 5, No. 4, pp. 33-34, April 2001; Ocular Surgery News, Vol. 13, No. 20, October 1995; Ocular Surgery News Int'l, Vol. 6, No. 10, p. 54, October 1995; Ophthalmic Surgery, Vol. 25, No.7, pp. 480-481, July 1994

#### **OCULAR RITCH NYLON SUTURE**

Designed for laser suture lysis after trabeculectomy or cataract surgery. The lens compresses conjunctival blood vessels and provides a clear view of the sutures. Cone shaped lens with flange provides lid retraction.

	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
ORNSA	1.00x	1.00x	5.7mm	25.5mm

Journal references: Eye Net, Vol. 5, No. 4, pp. 33-34, April 2001 Ophthalmic Surgery, Vol. 25, No. 2, pp. 126-127, February 1994

#### **OCULAR HOSKINS NYLON SUTURE**

The Hoskins lens is designed for laser suture lysis after trabeculectomy or cataract surgery. The lens compresses conjunctival blood vessels and provides a clear view of the sutures. The flange holds the eye lid out of the way.

	Image	Laser Spot	Contact	Handle
Product Code	Mag.	Mag.	Diam.	Length
OHSA	1.20x	.83x	3mm	79mm

Journal references: AJO, Vol. 119, No. 2, pp. 232-233, February 1995; Eye Net, Vol. 5, No. 4, pp. 33-34, April 2001; Ophthalmic Surgery, Vol. 15, No. 9, pp. 731-733, September 1984; Ophthalmology, Vol. 103, No. 2, pp. 306-314, February 1996; Ophthalmology Times, Vol. 16, No. 9, May 1991; Ophthalmic Surgery & Lasers, Vol. 31, No. 2, pp. 94-99, March/April 2000

#### **OCULAR LAYDEN SUTURE LYSIS LENS**

Designed for laser suture lysis after trabeculectomy or cataract surgery. The lens compresses the overlying conjunctival blood vessels and provides a clear view of the sutures. 1.6mm diameter tip simplifies locating and lasering sutures in patients with dark or highly pigmented sclera.

		0	Laser Spot	Contact	Handle
Р	roduct Code	Mag.	Mag.	Diam.	Length
О	LSA	1.00x	1.00x	1.6mm	79mm

Ocular Argon/Diode Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.

YAG LASER PHOTODISRUPTION & SLT LENSES



#### **OCULAR ABRAHAM IRIDECTOMY**

A 10mm diameter, 66D magnifying button in the anterior surface of the lens is positioned over the peripheral iris to give a clear view of the iridectomy site. Laser efficiency is increased compared with using no lens. The lens also helps stabilize the patient's eye and retains the eye lids.



	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OAIY	1.5x	.67x	15.5mm	16.5mm

Journal reference: Ophthalmic Surgery & Lasers, Vol. 27, No. 3, pp. 209-227, March 1996

#### **OCULAR ABRAHAM CAPSULOTOMY**

Stabilizes the patient's eye and minimizes the possibility of pitting the IOL during Nd:YAG laser capsulotomy. A 10mm diameter, 66D magnifying button in the center of the lens enhances visualization and allows precise laser focus on the posterior capsule.



	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OAYA	1.8x	.56x	15.5mm	16.5mm

Journal reference: Ocular Surgery News, Vol. 14, No. 17, p. 36, September 1, 1996



#### **OCULAR PEYMAN G. CAPSULOTOMY**

Designed for posterior capsulotomy, this lens features a 14mm diameter anterior surface and a slightly greater working distancethan the Abraham Lens.

	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OPYG -12-12	1.8x	.56x	15.5mm	16.5mm

Journal reference: EyeNet, Vol. 5, No. 8, pp. 35-37, August 2001



ALL LASER LENSES USE CLEANING METHOD 1



#### OCULAR MANDELKORN IRIDOTOMY/CAPSULOTOMY

Large anterior surface allows visualization of the iris and posterior capsule. Designed for Argon/Diode or Nd:YAG iridotomy, and YAG capsulotomy. Also useful for peripheral iridoplasty procedures.

Due du et Ce de	0		Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OMIC	1.2x	.83x	15.5mm	16.5mm

Journal reference: Ocular Surgery News, Vol. 16, No. 9, p. 67, September 1998





The Pollack Iridotomy-Gonio Laser Lens has two coated glass buttons on the anterior surface that enable performance of iridotomy and gonioscopy without changing lenses and with minimal refocusing of the slit lamp. It is designed to easily determine if the angle has been opened following iridotomy. The 1.5x magnification button allows lower levels of energy to be employed during the procedure. Also suitable for Argon Laser Trabeculoplasty (ALT). Image mag is 1.5x for both iris and anterior chamber angle.

	Image		Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OPIG	1.5x	.65x	15mm	21mm

#### OCULAR PEYMAN WIDE FIELD

Three lenses designed for YAG laser treatment in the vitreous. 12.5mm for anterior vitreous, 18mm for mid-vitreous, 25mm for posterior vitreous. The convex anterior surface of each lens optimizes image magnification and laser performance in the area of interest.

	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OPY-12.5	1.40x	.71x	15.5mm	16.5mm
OPY-18	1.41x	.71x	15.5mm	16.5mm
OPY-25	1.36x	.74x	16mm	14.7mm

Journal reference: Retina, Vol. 4, No. 2, pp. 129-131, February 1984



YAG

LA


SER

PHOTODISRUPTION

20

SLT

LENSES



Ocular Argon/Diode Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.



YAG LASER PHOTODISRUPTION & SLT LENSES



#### OCULAR KARICKHOFF 30MM OFF-AXIS VITREOUS LENS

Used to vaporize floaters that are outside the central visual axis and are deep in the vitreous. Assists in vaporizing floaters that are behind the corneal knee in post-LASIK patients. This lens allows the beam to pass more through the central excavation (an optical surface) of the LASIK procedure for superior vaporization. Excellent for looking for additional floaters to treat. Instead of having the patient look in all directions, the surgeon simply slowly rotates the lens so that all directions are seen. Wider field than the Karickhoff Off-Axis 25mm lens (OJKPY-25).




	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OJKPY-30	1.25x	.80x	15.5mm	16.5mm



#### **OCULAR KARICKHOFF OFF-AXIS VITREOUS LENS**

Lens very helpful in treating off-axis floaters. Rotating the lens allows looking for floaters without patient moving their eye. Focus is more posterior and allows monitoring of the retina during treatment in most patients. Black mark on lens indicates the direction of peripheral view. Anterior lens surface design reduces image astigmatism and image degradation when tilting the lens. Small flange prevents lens being squeezed off eye by patient.

	1	
1	1	
1 1	1	
	1	
1	1	
- 1 I	1	
1		
1	1	
1		
Y ill	7	
5000	5	
2 AL	a de la calencia de l	
(in the		
// 5	))	
(( V	25n	nm
1 1	1 25	
	~	

1

	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OJKPY-25	1.36x	.74x	15.5mm	16.5mm

Journal reference: Ocular Surgery News, Vol. 25, No. 6, pp 51-54, March 15, 2007



#### **OCULAR KARICKHOFF 21MM VITREOUS LENS**

Most useful lens for laser treatment of vitreous floaters. Small flange helps prevent lens being squeezed off eye by patient. Small exterior diameter enables lens to be inserted into an eye with small lid fissures. Lens allows surgeon to view retina clearly in most patients during procedure to check for hemorrhage. Serrated holding ring for easy grip.

	Image	Laser Spot	Contact	Lens
Product Code	Mag.	Mag.	Diam.	Height
OJKY-21	1.39x	.72x	15.5mm	16mm

Journal reference: Ocular Surgery News, Vol. 25, No. 6, pp 51-54, March 15, 2007



ALL LASER LENSES USE CLEANING METHOD 1





Latina SLT laser lens featuring five high contrast reference bars embedded into the contact portion of the lens are imaged over the trabecular meshwork and provide a reference to placement of sub-threshold laser spot. Available with the Ocular Securefit<sup>\*</sup> flange for increased stability.

Product Code	Gonio Mag.	Gonio Laser Spot Mag.		Lens Height	Field of View
OL5SLT	1.0×	1.0x	14.5mm	24mm	130°
OL5SLTF (w/flange)	1.0x	1.0x	18mm	25mm	130°
U.S. Patent #7,766,480					

#### OCULAR HWANG-LATINA 5.0 SLT LENS

High contrast reference bar embedded into the contact portion of the SLT lens and provides easy estimation of a 45° section of the trabecular meshwork. Imaged at width of 5mm, the reference bar can also be used to estimate the size of the anterior chamber angle structures. Available with the Ocular Securefit<sup>\*</sup> flange for increased stability.

U.S. Patent #7,766,480

Product Code	Gonio Mag.			Lens Height	Field of View
OHLSLT	1.0x	1.0x	14.5mm	24mm	130°
OHLSLTF (w/flange)	1.0x	1.0x	18mm	25mm	130°

#### OCULAR LATINA SLT GONIO LASER LENS

Designed specifically for Selective Laser Trabeculoplasty. 1.0x magnification maintains laser spot size for accurate laser energy delivery. Tilted anterior lens surface corrects astigmatism to maintain circular laser beam profile and give sharp images for examination. Suitable for Standard Laser Trabeculoplasty. Large 63° mirror yields bright image for angle photography. Available with the Ocular Securefit<sup>\*</sup> flange for increased stability.

Product Code		Gonio Laser Spot Mag.		Lens Height	Field of View
OLSLT	1.0x	1.0x	14.5mm	24mm	130°
OLSLTF (w/flange)	1.0x	1.0x	18mm	25mm	130°



Ocular Argon/Diode Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.





Ocular Instruments offers many lens styles that cater to your personal preference. Our popular Posner and Sussman Four Mirror Gonio Lenses are available with red, blue, green, gold, purple, or traditional black handles and rings.





#### OCULAR POSNER DIAGNOSTIC AND SURGICAL GONIOPRISM

New handle design for strength and durability. Four 64° mirrors for complete anterior chamber angle viewing with minimal lens rotation. Choice of three handles set at 17° for ease of use. Small diameter contact surface allows static or dynamic gonioscopy without methylcellulose. Advanced technology, multi-layer polymer coating protects mirrors and is compatible with most disinfecting methods. Available with red, blue, green, gold, purple, or traditional black handle.

Product Code	Handle Style	Gonio Mag.	Contact Diam.	Lens Height	Handle Length	Static Gonio FOV	64°
OPDSG*	Round	.80x	9mm	13mm	79mm	80°	
OPDSG-2*	Hexagonal	.80x	9mm	13mm	72mm	80°	
OPDSG-3*	Ergonomic	.80x	9mm	13mm	93mm	80°	J

Journal references: Ophthalmology Times, Vol. 4, No. 6, p. 8, June 1979 Optometric Management, Vol. 35, No. 6, June 2000

#### OCULAR SUSSMAN FOUR MIRROR HAND HELD GONIOSCOPE

Four 64° mirrors for complete anterior chamber angle viewing with minimal lens rotation. Directly hand held for easy handling and stability. Choice of large or small holding ring. Small diameter contact surface allows static or dynamic gonioscopy without methylcellulose. Advanced technology, multi-layer polymer coating protects mirrors and is compatible with most disinfecting methods. Available with red, blue, green, gold, purple, or traditional black holding ring.

1		
	64° 64°	
P	E S	Ś
		)
	$\searrow$	/

Product Code		Contact Diam.		0	Static Gonio FOV
OS4M*	.80x	9mm	24.5mm	25mm	80°
OS4M-2*	.80x	9mm	28.5mm	31.5mm	80°

Journal reference: Optometric Management, Vol. 35, No. 6, June 2000.



#### **OCULAR THORPE FOUR MIRROR GONIO**

Four 62° mirrors give a 360° view of the anterior chamber angle with only a slight lens rotation. Posterior pole can be viewed through center of lens. Image mag .93x. Also available with our high performance anti-reflective coating. See page 14 for more details.

Product Code	Gonio	Contact	Lens	Static
	Mag.	Diam.	Height	Gonio FOV
OT4MG	.80x	18mm	32mm	150°



\* No methylcellulose required


LENSES

**DIAGNOSTIC** LENSES



#### **OCULAR KHAW 4D DIRECT VIEW GONIO**


Traditional and 1X magnification versions available. The Khaw 4D Direct View Gonio Lenses combine the most favorable features of traditional gonioprisms while providing a properly orientated view of the angle. 360° of anterior chamber angle is visible with little to no lens rotation. Anterior chamber charting made easier with correct image orientation. No methylcellulose required lens design.



Product Code			Lens Height	0	Static Gonio FOV
OK4DG*	.80x	10mm	24mm	28.5mm	170°
OK4DG-1X*	1.05x	10mm	23mm	28.5mm	150°

#### **OCULAR GAASTERLAND FOUR MIRROR GONIO**

Traditional and 1X magnification versions available. New Laserlight<sup>\*</sup> HD anti-reflective coating on anterior surface for maximum image brightness and contrast. See Coatings and Materials (page 66) for more details. High Refractive Index glass provides total internal reflection even with fluid in contact with the mirrors. Larger field means no need to rotate lens to see entire anterior chamber angle. Choice of large or small holding ring. Also available with ergonomic handle. Lens is easily detached from handle



for cleaning. Outstanding for laser and diagnostic applications – 15mm and 17mm flange adapters recommended for laser procedures. Compatible with visible and near infrared lasers. Methylcellulose not required.

	Gonio	Gonio Laser	Contact	Lens	Ring	Static
Product Code	Mag.	Spot Mag	Diam.	Height	Diam.	FOV
OG4MG*	.61x	1.64x	8.5mm	22mm	24.5mm	90°+
OG4MG-15* (OG4MG lens w/OACF	.61x 4-15 flange)	1.64x	15mm	24.5mm	24.5mm	90°+
OG4MG-17 (OG4MG lens w/OACF	.61x 4-17 flange; n	1.64x nethylcellulose re	17mm commended)	25.5mm	24.5mm	90°+
OG4MG-LR*	.61x	1.64x	8.5mm	28mm	31.5mm	90°+
OG4MG-LR-15* (OG4MG-LR lens w/OA	.61x ACF4-15 flang	1.64x e)	15mm	30mm	31.5mm	90°+
OG4MG-LR-17 (OG4MG-LR lens w/OA	.61x ACF4-17 flang	1.64x e; methylcellulose	17mm e recommende	31mm ed)	31.5mm	90°+
OG4MG-H*	.61x	1.64x	8.5mm	18mm	n/a	90°+
OG4MG-1X*	1.0x	1.0x	8.5mm	22mm	24.5mm	90°+
OG4MG-1X-15* (OG4MG-1X lens w/O/	1.0x ACF4-15 flang	1.0x e)	15mm	24.5mm	24.5mm	90°+
OG4MG-1X-17 (OG4MG-1X lens w/O/	1.0x ACF4-17 flang	1.0x e; methylcellulose	17mm e recommend	25.5mm ed)	24.5mm	90°+
OG4MG-1X-LR*	1.0x	1.0x	8.5mm	28mm	31.5mm	90°+
OG4MG-1X-LR-15* OG4MG-1X-LR lens w/	1.0x ′OACF4-15 fla	1.0x nge)	15mm	30mm	31.5mm	90°+
OG4MG-1X-LR-17 (OG4MG-1X-LR lens w	1.0x v/OACF4-17 fla	1.0x ange; methylcellu	17mm Iose recomme	31mm ended)	31.5mm	90°+
OG4MG-1X-H*	1.0x	1.0x	8.5mm	18mm	n/a	90°+

Flanges also sold separately, see accessory section. U.S. Patent #6,767,098

DIAGNOSTIC LENSES USE CLEANING METHOD 1 UNLESS OTHERWISE NOTED \* No methylcellulose required

#### OCULAR INSTRUMENTS



# Contraction of the second seco

**OCULAR MAXFIELD® AC FOUR MIRROR GONIO** Traditional and 1X magnification versions available. High Refractive Index glass provides total internal reflection even with fluid in contact with the mirrors. Total internal reflection means no light absorption or loss by a mirror coating resulting in a brighter, clearer image. High resolution image of the anterior chamber angle. Steam sterilizable. Available with small or large holding ring. Also available with ergonomic handle. Lens is easily detached from handle for cleaning and sterilization. Cleaning Method 3. Gonioscopic solution is not required to provide optical interface. Purchase with or separately a 15mm or 17mm lens flange to eliminate the need to purchase additional lenses with dedicated flanges. Flange cover is easily removed from

	0				
Product Code	Gonio Mag.	Contact Diam.	Lens Height	Ring Diam.	Static FOV
O4MAC*	.61x	8.5mm	22mm	24.5mm	90°+
O4MAC-15* (O4MAC lens w/OA0	.61x CF4-15 flange	15mm :)	24.5mm	24.5mm	90°+
O4MAC-17 (O4MAC lens w/OAC		17mm ; methylcellulos		24.5mm d)	90°+
O4MAC-LR*	.61x	8.5mm	28mm	31.5mm	90°+
O4MAC-LR-15* (O4MAC-LR lens w/0		15mm nge)	30mm	31.5mm	90°+
O4MAC-LR-17 (O4MAC-LR lens w/0			31mm Ilose recomme	31.5mm nded)	90°+
O4MAC-H*	.61x	8.5mm	18mm	n/a	90°+
O4MAC-1X*	1.0x	8.5mm	22mm	24.5mm	90°+
O4MAC-1X-15* (O4MAC-1X lens w/0	1.0x OACF4-15 flai	15mm nge)	24.5mm	24.5mm	90°+
O4MAC-1X-17 (O4MAC-1X lens w/0			25.5mm ulose recomme	24.5mm nded)	90°+
O4MAC-1X-LR*	1.0×	8.5mm	28mm	31.5mm	90°+
O4MAC-1X-LR-15* (O4MAC-1X-LR lens	1.0x w/OACF4-15	15mm flange)	30mm	31.5mm	90°+
O4MAC-1X-LR-17 (O4MAC-1X-LR lens		17mm flange; methylo		31.5mm mended)	90°+
O4MAC-1X-H*	1.0x	8.5mm	18mm	n/a	90°+


Flanges also sold separately, see accessory section. U.S Patent #6,767,098

the lens for cleaning and sterilization.

#### **OCULAR FOUR MIRROR MINI GONIO**

Four 62° mirrors allow complete observation of the angle with little lens rotation. Small diameter flange is convenient for eyes with small palpebral fissures. Anterior holding ring available in small and large sizes. Methylcellulose not required for most patients. Also available with our high performance, anti-reflective coating. See page 14 for more details.

Product Code				Ring Diam.	Static Gonio FOV
O4GF*	.80x	15mm	22.5mm	23.5mm	120°
O4GF-LR*	.80x	15mm	26mm	32.5mm	120°






**DIAGNOSTIC** LENSES

#### **OCULAR THREE MIRROR UNIVERSAL**

This classic "Goldmann" type lens has three mirrors angled at 59°, 67° and 73° to permit viewing of the peripheral fundus and anterior chamber angle. 36° of the posterior pole can be viewed through the center of the lens. Many heights and diameters are available. Gonio mag .80x. Also available with our high performance, anti-reflective coating.



#### See page 8 for more details.


Product Code	Style	Image Mag.	Contact Diam.	Lens Height	Static Gonio FOV
OG3M	Universal	.93x	18mm	32mm	140°
OG3M-2*	NMR	.93x	16mm	32mm	140°
OG3MF	with flange	.93x	20mm	33mm	140°
OG3MI	15mm	.93x	15mm	28mm	140°
OG3MP	17mm	.93x	17mm	26mm	140°
OG3MS	Short	.93x	18mm	24mm	140°
OG3MS-2*	NMR Short	.93x	16mm	23mm	140°
OG3M-13*	NMR Small Fissure	.93x	13mm	28mm	140°

lournal reference.

The Journal of Ophthalmic Photography, Vol. 26, No. 1, pp. 13-19, Spring 2004

#### **OCULAR THREE MIRROR 10MM GONIO**

Three mirrors of 64°, 67° and 73° and a small diameter contact surface for use without methylcellulose. The fundus can be viewed through the central axis of the lens. Multi-layer polymer coating protects mirrors and is compatible with most disinfecting methods. Gonio mag .80x.



Product Code	Image	Contact	Lens	Static
	Mag.	Diam.	Height	Gonio FOV
OG3M-10*	.93x	10mm	25mm	140°



#### **OCULAR KARICKHOFF DIAGNOSTIC**

Four mirrors plus a central axis view give a complete view of the interior of the eye. Unique "depth dots" mark each mirror at the base for easy orientation. One dot, 62° (anterior chamber angle); two dots, 67° (ora serrata); three dots, 76° (mid-equator); four dots, 80° (mid-peripheral area). The mirrors provide fields of view that overlap completely. Gonio mag .80x. Also available with our high performance, anti-reflective coating. See page 9 for more details.

Product Code	Image Mag.	Contact Diam.	Lens Height	Static Gonio FOV
OJK	.93x	18mm	29mm	140°
OJKF (w/flange)	.93x	20mm	30mm	140°

methylcellulose required





DIAGNOSTIC

LENSES

#### **OCULAR HIGH DEFINITION THREE MIRROR**

Provides mirrors for examination of the fundus and the anterior chamber angle. High index glass three mirror lens with our Laserlight<sup>\*</sup> HD anti-reflective coating for maximum light transmission and image brightness. See Coatings and Materials (page 66) for more details. One 64° gonio mirror and two fundus mirrors, 73° and 67°. Fundus images overlap, no "blind spot" in fundus field. Outstanding for laser and diagnostic applications – 15mm or 17mm flange adapters recommended for laser procedures. Compatible with visible and near infrared lasers. Methylcellulose not required.

Product Code	Image Mag.	Laser Spot Mag.	Contact Diam.	Lens Height	Static Gonio FOV
OG3MHD-10*	.65x	1.54x	10mm	25.0mm	150°
OG3MHD-15*	.65x	1.54x	15mm	26.5mm	150°
(OG3MHD-10 Lens w/OACF-15 flange)					
OG3MHD-17	.65x	1.54x	17mm	27.5mm	150°
(OG3MHD-10 Lens w/OACF-17 flange; methylcellulose recommended)					

Flanges also sold separately, see accessory section.

U.S. Patent #6,767,098

#### OCULAR AUTOCLAVABLE THREE MIRROR

Provides mirrors for the examination of the fundus and the anterior chamber angle. Steam sterilizable universal ophthalmic lens prism. High index glass design. Mirrors maintain total internal reflection as if they are coated. One 64° gonio mirror and two fundus mirrors, 73° and 67°. Fundus images overlap, no "blind spot" in fundus field. Methylcellulose not required. Cleaning Method 3. Gonio mag .61x.

Product Code	Image Mag.	Contact Diam.	Lens Height	Static <u>Gonio FOV</u>
OG3MAC-10*	.60x	10mm	25mm	150°
OG3MAC-15* (OG3MAC-10 Lens	.60x w/OACF-15 fla	15mm nge)	26.5mm	150°
OG3MAC-17	.60x	17mm	27.5mm	150°

(OG3MAC-10 Lens w/OACF-17 flange; methylcellulose recommended)


Flanges also sold separately, see accessory section. U.S. Patent #6,767,098


#### **OCULAR FUNDUS DIAGNOSTIC**

The flat front surface of this "Goldmann" type fundus lens provides a direct image of the posterior pole. Methylcellulose and NMR-K (Kapetansky) no methylcellulose designs available. Also available with

our high performance, anti-reflective coating. See page 9 for more details.

	Image	Contact	Lens	Static
Product Code	Mag.	Diam.	Height	FOV
OGF	.93x	15.5mm	16.5mm	36°
OGF-2*	.97x	15.5mm	16.5mm	35°







DEFINITION



**DIAGNOSTIC** LENSES



#### **OCULAR MAGNA VIEW GONIO**

The Ocular Magna View Gonio Lens is an outstanding choice for gonioscopy and digital photography of the anterior chamber angle. Four different lens styles are available to suit your needs including the Single Mirror, Two Mirror, higher magnification 1.5X, and the new Goniometric. All four styles are also available with the Ocular Securefit<sup>\*</sup> flange. See page 12 for more details.

#### **OCULAR SINGLE MIRROR GONIO**

Small size gonio lens with one 62° mirror. Compact knurled ring simplifies 360° viewing of the anterior chamber angle. Methylcellulose and NMR-K (Kapetansky) no methylcellulose designs available. Available with the Ocular Securefit<sup>\*</sup> flange. Also available with our high performance, anti-reflective coating. See page 13 for more details.



Product Code	Gonio Mag.	Contact Diam.	Lens Height	Static Gonio FOV
OSMG	.80x	15mm	19.5mm	170°
OSMG-2*	.80x	15mm	19.5mm	170°
OSMGF (w/flange)	.80x	17mm	20.5mm	170°

#### OCULAR TWO MIRROR GONIO

Two opposing 62° mirrors provide a complete view of the anterior chamber angle with only a 180° lens rotation. Methylcellulose and NMR-K (Kapetansky) no methylcellulose designs available. Available with the Ocular Securefit<sup>\*</sup> flange. Also available with our high performance, anti-reflective coating. See page 13 for more details.

Product Code	Gonio Mag.	Contact Diam.	Lens Height	Static Gonio FOV
O2M	.80x	15mm	19.5mm	170°
O2M-2*	.80x	15mm	19.5mm	170°
O2MF (w/flange)	.80x	17mm	20.5mm	170°

#### **OCULAR KOEPPE DIAGNOSTIC**

Direct gonioscopy lens with magnification. The lens rests on the scleral flange creating a corneal vault and leaving the anterior chamber angle undisturbed. Three sizes available.

Product Code	Style	Image Mag.	Contact Diam.	Static Gonio FOV
OKL	Large	1.50x	19mm	160°
OKM	Medium	1.53x	18mm	160°
OKS	Small	1.57x	17mm	160°









Laserlight<sup>\*</sup> HD coating now on our MaxField<sup>\*</sup> Indirect product line. Brighter images. Less reflection. Great for digital imaging! See coatings and materials (page 66) for more details.



Add some extra style to your everyday tools. All of our Maxlight<sup>\*</sup> and MaxField<sup>\*</sup> Indirect Lenses are now available with red, blue, green, gold, purple, or traditional black holding rings, with the exception of the Ocular Ultra View Small Pupil (OI-SP) and Ocular MaxField<sup>\*</sup> 20D Small (OI-20MS). **INDIRECT** DIAGNOSTIC/LASER LENSES

PRODUCTOOR         USAGE         MAGE MAGE         SLACE MORE MADE         DYTMANC         DUSCRMC         CLEMS         MATER MADE         MATER MADE           01         Marchard MO         00         4.79         2.1X         3.77         MA         72.0         5.2	INDIRECT DI	AGNOST	C/LASER	LENS CO	O M P A R I S (	ON CHAR	Υ.Τ			
mature ing         ind         4.24         2.37         144         7.20         5.20         5.20         5.7         6.25           market ing         800         4.17         2.44         3.7         NA         7.20         5.20         5.7         GLASS           market ing         800         3.40x         2.9x         4.44         NA         55.0         4.80         5.9         6.80         5.8         6.10           Orise ing         800         3.40x         2.9x         4.44         NA         55.0         4.80         5.9         6.80         5.8         6.10         5.8           Orise ing         800         3.40x         3.5x         507         NA         4.70         4.80         5.1         GLASS           Orize ing         800         2.7x         3.4x         507         NA         4.70         4.80         5.0         GLASS           Orize ing         800         2.7x         3.7x         607         NA         3.00         5.20         7.3         GLASS           Orize ing         800         2.1x         4.7x         557         A.4         2.80         3.80         3.80         3.80         GLASS </th <th></th> <th>USAGE</th> <th></th> <th>SPOT MAG</th> <th>STATIC FOV</th> <th>FOV</th> <th>DISTANCE</th> <th>APERTURE</th> <th>WEIGHT</th> <th></th>		USAGE		SPOT MAG	STATIC FOV	FOV	DISTANCE	APERTURE	WEIGHT	
manufaction         Bib         4.14         2.46         36         7.40         5.00         5.00         64.03           Macadar         BiO         3.400         2.9x         4.44         NA         55.00         4.80         5.90         6.7A3           Macadar         BiO         3.400         2.9x         4.44         NA         55.00         4.80         5.96         6.7A35           Orizon         BiO         2.9x         3.9x         5.07         NA         4.70         4.80         5.96         (6.7A35)           Orizon         BiO         2.97x         3.9x         5.07         NA         4.70         4.80         5.96         (6.7A35)           Orizon         BiO         2.97x         3.9x         6.07         NA         4.70         4.80         5.96         (6.4X55)           Orizon         BiO         2.7x         .37x         6.07         NA         9.90         5.20         4.80         6.40         5.91         6.433           Orizon Orizon         BiO         2.7x         .37x         6.67         NA         3.90         3.80         5.20         6.435           Orizon Orizon         BiO         2.1x <td></td> <td>BIO</td> <td>4.29x</td> <td>.23x</td> <td>37°</td> <td>NA</td> <td>72.0</td> <td>52.0</td> <td>34</td> <td>CR-39</td>		BIO	4.29x	.23x	37°	NA	72.0	52.0	34	CR-39
Matter into         BID         SAUX         APA         PA         SAU         4U         SAU		BIO	4.17x	.24x	38°	NA	72.0	52.0	57	GLASS
On-13M hD Ansferd 190         BD         3.40: 2.97         3.4x         5.70         N.A         47.0         48.0         58         GLASS           01-20 Marder 200         BIO         2.97         3.4x         507         N.A         47.0         48.0         51         GLASS           01-20         BIO         2.97         3.4x         507         N.A         47.0         48.0         51         GLASS           01-20         BIO         2.97         3.4x         507         N.A         47.0         48.0         56         GLASS           01-202         BIO         2.97         3.4x         607         N.A         47.0         48.0         56         GLASS           01-222         BIO         2.73x         3.7x         607         N.A         30.0         50.0         7.3         GLASS           01-224         MA         3.2x         6.7         N.A         30.0         50.0         GLASS           01-234         MA         57         N.A         30.0         30.0         GLASS           01-240         BIO         2.13x         MA*         57         N.A         28.0         30.0         30.0         GLASS <td></td> <td>BIO</td> <td>3.40x</td> <td>.29x</td> <td>44°</td> <td>NA</td> <td>55.0</td> <td>48.0</td> <td>39</td> <td>CR-39</td>		BIO	3.40x	.29x	44°	NA	55.0	48.0	39	CR-39
0.200 Marcelant 200         BIO         2.97x         34x         50"         NA         47.0         48.0         39         CR-39           0.20A         3.03x         33x         50"         NA         47.0         48.0         51         GLASS           0.20A         800         2.97x         34x         50"         NA         47.0         48.0         56         GLASS           0.220 MIO         BIO         2.97x         34x         40"         NA         47.0         48.0         59         GLASS           0.220 MIO         BIO         2.72x         37x         60"         NA         39.0         52.0         73         GLASS           0.224 MIO         BIO         2.13x         47x         59"         NA         32.0         38.0         32.0         GLASS           0.224 MIO         BIO         2.11x         47x         59"         NA         28.0         38.0         38         GLASS           0.224 MIO         BIO         1.11x         47x         59"         NA         28.0         38.0         38         GLASS           0.284 MIO         BIO         1.11x         47x         59"         NA	OI-18M HD	BIO	3.40x	.29x	44°	NA	55.0	48.0	58	GLASS
01-20A         BOLOR         3.03x         3.3x         50"         NA         47.0         48.0         51         GLASS           01-20M HO         BO         2.97x         3.4x         50"         NA         47.0         48.0         56         GLASS           01-20M HO         BO         2.97x         3.4x         40"         NA         47.0         48.0         39         GLASS           01-20M HO         BO         2.77x         3.7x         60"         NA         99.0         52.0         7.3         GLASS           01-20M HO         BO         2.73x         3.7x         60"         NA         99.0         52.0         7.3         GLASS           01-22M HO         BO         2.13x         4.7x         55"         NA         28.0         8.00         3.2         GLASS           01-28         MO         2.11x         4.7x         55"         NA         28.0         3.00         3.0         GLASS           01-28         MO         8.00         2.11x         4.7x         55"         NA         28.0         3.00         3.0         GLASS           01-28         MO         8.00         2.11x         4.7x	OI-20	BIO	2.97x	.34x	50°	NA	47.0	48.0	39	CR-39
O'-20AM PD Ansfeld' 200         BIO         2277         34x         50"         NA         47.0         48.0         50         GLASS           O'-20AS PD Ansfeld' 20 Senal         BIO         297x         34x         40"         NA         47.0         38.0         39         GLASS           O'-20AS PD Ansfeld' 20 Senal         BIO         27.7x         37.x         60"         NA         39.0         52.0         7.3         GLASS           O'-22A M D Ansfeld' 20         BIO         2.73x         37.x         60"         NA         39.0         52.0         7.3         GLASS           O'-22A M D Marger' 20         BIO         2.73x         37.x         60"         NA         33.0         48.0         59         GLASS           O'-23A M D Marger' 20         BIO         2.13x         4.7x         59"         NA         28.0         38.0         36         GLASS           O'-23A MD Marger' 20         BIO         2.11x         4.7x         59"         NA         28.0         38.0         38         GLASS           O'-23A MD         BIO         1.71x         S8.x         74"         NA         17.0         38.0         38         GLASS           O'-23	OI-20A	BIO/O.R.	3.03x	.33x	50°	NA	47.0	48.0	51	GLASS
O:2035PiD Masseled 2035mall         BIO         257.         34.         40"         NA         47.0         38.0         39         GLASS           0'222         BIO         2.72x         37.x         60"         NA         39.0         52.0         48         GR-39           0'224         BIO         2.73x         37.x         60"         NA         39.0         52.0         7.3         GLASS           0'224         BIO         2.73x         37.x         60"         NA         39.0         52.0         7.3         GLASS           0'238         BIO         2.13x         47.x         58"         NA         2.80         38.0         2.9         GLASS           0'288         BIO         2.11x         47.x         58"         NA         2.80         38.0         38         GLASS           0'284         BIO         1.97x         51.K         63"         NA         2.60         38.0         38         GLASS           0'284         BIO         1.97x         51.K         63"         NA         1.00         3.0         2.2         GLASS           0'284         BIO         1.97x         51.K         63"         NA	OI-20M HD	BIO	2.97x	.34x	50°	NA	47.0	48.0	56	GLASS
0-122         BIO         2.72x         3.7x         60'         NA         39.0         52.0         48         CR-39           0-12M HO Marfeld 200         BIO         2.73x         5.7x         60'         NA         39.0         52.0         73         GLASS           0-12M HO Marfeld 200         BIO         2.40x         A2x         63'         NA         33.0         48.0         59         GLASS           0-12S MHO Marfeld 200         BIO         2.13x         A7x         59'         NA         28.0         38.0         22         CR-39           0-12A Marfeld 200         BIO         2.13x         A7x         59'         NA         28.0         38.0         36         GLASS           0-12A Marfeld 200         BIO         2.11x         A7x         58'         NA         2.00         38.0         38         GLASS           0-13M HO Marfeld 200         BIO         1.11x         A7x         58'         NA         1.00         38.0         38         GLASS           0-13M HO Marfeld 200         BIO         1.11x         55x         76'         NA         1.00         2.00         CR-39           0-13M HO Marfeld 200         SUIT LAMP	OI-20MS HD	BIO	2.97x	.34x	40°	NA	47.0	38.0	39	GLASS
Or-22M PD Marsfeet 22D         BIO         2.73x         37x         60'         NA         99.0         52.0         73         GLASS           Or-25M PD Marsfeet 23D         BIO         2.40x         4.2x         63'         NA         33.0         48.0         59         GLASS           Or-28M PD Marsfeet 23D         BIO         2.13x         4.7x         59'         NA         20.0         38.0         22         CR-39           Or-28M PD Marsfeet 23D         BIO         2.11x         4.7x         59'         NA         28.0         38.0         36         GLASS           Or-28M PD Marsfeet 23D         BIO         2.11x         4.7x         59'         NA         28.0         38.0         38         GLASS           Or-28M PD Marsfeet 20D         BIO         1.97x         5.1x         63'         NA         26.0         38.0         38         GLASS           Or-30M PD Marsfeet 20D         BIO         1.97x         5.1x         63''         NA         14.0         34.0         32         GLASS           Or-30M PD Marsfeet 20D         BIO         1.97x         5.8x         7.0'         137''         10.0         29.0         22         GLASS	OI-222	BIO	2.72x	.37x	60°	NA	39.0	52.0	48	CR-39
O1-25M HD Market 23D         BIO         2.40x         A2x         63*         NA         33.0         48.0         59         GLASS           O1-28 Market Arconautight 28D         BIO         2.13x         A7x         56*         NA         29.0         38.0         22         CR-39           O1-28A Market Arconautight 28D         BIO/O.R.         2.11x         A7x         55*         NA         28.0         38.0         36         GLASS           O1-28A Market Arconautight 28D         BIO         2.11x         A7x         55*         NA         28.0         38.0         39         GLASS           O1-30M HD Market Arconautight 28D         BIO         2.11x         A7x         55*         NA         27.0         38.0         38         GLASS           O1-30M HD Market Arconautight 28D         BIO         1.71x         58x         74*         NA         17.0         34.0         32         GLASS           O1-30M HD Market Arconautight 28D         BIO         1.71x         58x         74*         NA         14.0         34.0         32         GLASS           O1-30M HD Market Market Market Market         BIO         1.71x         58x         75*         131*         1.0         30.0	OI-22M HD	BIO	2.73x	.37x	60°	NA	39.0	52.0	73	GLASS
Ol-28 Marking 280 (1-284 Marker Autochne 280 (1-284 MP) Marker Autochne 280 MP) Marker Autochne 280 MP) MA	OI-25M HD	BIO	2.40x	.42x	63°	NA	33.0	48.0	59	GLASS
Ol-28A MaxC Autocable 28D         BIO/O.R.         2.15x         47x         59°         NA         28.0         38.0         36         GLASS           O'-28M HD Marked 42D         BIO         2.11x         47x         58°         NA         27.0         38.0         39         GLASS           O'-28M HD Marked 42D         BIO         1.97x         5.1x         63°         NA         26.0         38.0         38         GLASS           O'-30M HD Marked 42D         BIO         1.97x         5.1x         63°         NA         26.0         38.0         38         GLASS           O'-30M HD Marked 40D         BIO         1.71x         58x         74°         NA         14.0         34.0         32         GLASS           O'-30M HD Marked 40D         BIO         1.49x         .67x         82°         NA         14.0         34.0         32         GLASS           O'-30M HD Marked 40D         SUT LAMP         1.10x         90x         86°         137°         1.0         200         32         GLASS           O'-60M HD Marked 40D         SUT LAMP         91x         1.10x         91°         144°         8.0         27.0         21         GLASS <td< td=""><td>OI-28</td><td>BIO</td><td>2.13x</td><td>.47x</td><td>58°</td><td>NA</td><td>29.0</td><td>38.0</td><td>22</td><td>CR-39</td></td<>	OI-28	BIO	2.13x	.47x	58°	NA	29.0	38.0	22	CR-39
Machade 28D         BIO         2.11x         A/X         36         NA         27.0         36.0         39         GLASS           Machade 300         BIO         1.97x         5.1x         6.3°         NA         26.0         38.0         38         GLASS           Machade 300         BIO         1.71x         5.5x         7.4°         NA         17.0         34.0         32         GLASS           Machade 300         BIO         1.49x         6.7x         8.2°         NA         14.0         34.0         32         GLASS           OI-54M HD         BIO         1.49x         6.7x         8.2°         NA         14.0         34.0         32         GLASS           OI-54M HD         SUT LAMP         1.10x         90x         86°         13.7°         10.0         29.0         22         GLASS           OI-66M HD         SUT LAMP         1.00x         1.00x         85°         154°         10.0         29.0         32         GLASS           OI-66M HD         SUT LAMP         91x         1.10x         91°         144°         8.0         27.0         21         GLASS           OI-72M HD         Machade HD         93 <t< td=""><td>OI-28A</td><td>BIO/O.R.</td><td>2.15x</td><td>.47x</td><td>59°</td><td>NA</td><td>28.0</td><td>38.0</td><td>36</td><td>GLASS</td></t<>	OI-28A	BIO/O.R.	2.15x	.47x	59°	NA	28.0	38.0	36	GLASS
OF-30M HD Marked 330         BIO         1.97x         51x         63°         NA         26.0         38.0         38         GLASS           OF-35M HD Marked 330         BIO         1.71x         58x         74°         NA         17.0         34.0         32         GLASS           OF-35M HD Marked 330         BIO         1.71x         58x         74°         NA         14.0         34.0         32         GLASS           OF-36M HD Marked 330         BIO         1.49x         67x         82°         NA         14.0         34.0         32         GLASS           OF-36M HD Marked 390         SLIT LAMP         1.10x         90x         86°         137°         10.0         29.0         25         GLASS           OF-54M HD Marked 690         SLIT LAMP         1.15x         87x         76°         131°         10.0         29.0         32         GLASS           OF-54M HD Marked 690         SLIT LAMP         91x         1.10x         91°         144°         8.0         27.0         21         GLASS           OF-72M HD Marked 690         SLIT LAMP         93x         1.07x         84°         139°         8.0         29.0         17         CR-39	OI-28M HD	BIO	2.11x	.47x	58°	NA	27.0	38.0	39	GLASS
OF-35M HD Martied' 3DD         BIO         1.71x         58x         74°         NA         17.0         34.0         32         GLASS           OF-40M HD Martied' 3DD         BIO         1.49x         .67x         82°         NA         14.0         34.0         32         GLASS           OF-40M HD Martied' 3DD         BIO         1.49x         .67x         82°         NA         14.0         34.0         32         GLASS           OF-54M HD Martied' 3DD         SLIT LAMP         1.10x         90x         86°         137°         10.0         29.0         25         GLASS           OF-60M HD Martied' 60D         SLIT LAMP         1.10x         87x         76°         131°         10.0         29.0         32         GLASS           OF-60M HD Martied' 60D         SLIT LAMP         91x         1.10x         91°         144°         8.0         27.0         21         GLASS           OF-72M HD Martied' 72D         SLIT LAMP         93x         1.07x         84°         139°         8.0         29.0         17         CR-39           OF-72M HD Martied' 72D         SLIT LAMP         93x         1.07x         84°         154°         10.0         29.0         32         GLASS <td>OI-30M HD</td> <td>BIO</td> <td>1.97x</td> <td>.51x</td> <td>63°</td> <td>NA</td> <td>26.0</td> <td>38.0</td> <td>38</td> <td>GLASS</td>	OI-30M HD	BIO	1.97x	.51x	63°	NA	26.0	38.0	38	GLASS
OI-400 HD Maxfed 400 Maxfed 50D         BIO         1.49x         6.7x         82°         NA         14.0         34.0         32         GLASS           0.5-4M HD Maxfed 50D         SLIT LAMP         1.10x         90x         86°         137°         10.0         29.0         25         GLASS           0.1-0M Maxfed 50D         SLIT LAMP         1.15x         .87x         76°         131°         11.0         30.0         17         CR-39           0.1-0M Maxfed 60D         SLIT LAMP         1.00x         1.00x         85°         154°         10.0         29.0         32         GLASS           0.1-60M HD Maxfed 60D         SLIT LAMP         91x         1.10x         91°         144°         8.0         27.0         25         GLASS           0.1-72M HD Maxfed 72D         SLIT LAMP         93x         1.07x         84°         139°         8.0         29.0         17         CR-39           0.1-72M HD Maxfed 72D         SLIT LAMP         93x         1.02x         88°         154°         10.0         29.0         32         GLASS           0.1-78M MD Maxfed 72D         SLIT LAMP         98x         1.02x         88°         154°         10.0         29.0         32 <t< td=""><td>OI-35M HD</td><td>BIO</td><td>1.71x</td><td>.58x</td><td>74°</td><td>NA</td><td>17.0</td><td>34.0</td><td>32</td><td>GLASS</td></t<>	OI-35M HD	BIO	1.71x	.58x	74°	NA	17.0	34.0	32	GLASS
MaxField : 500         SLIT LAMP         1.10x         .90x         66°         13''         100         290         25         GLASS           OF-UM         MaxEght (Inte Mag 60)         SLIT LAMP         1.15x         .87x         76°         131°         11.0         30.0         17         CR-39           MaxEght (Inte Mag 60)         SLIT LAMP         1.00x         85°         154°         10.0         29.0         32         GLASS           OF-60M HD         MaxField (60)         SLIT LAMP         .91x         1.10x         91°         144°         8.0         27.0         25         GLASS           OF-72M HD         SLIT LAMP         .91x         1.10x         91°         144°         8.0         27.0         21         GLASS           OF-72M HD         SLIT LAMP         .93x         1.07x         84°         139°         8.0         29.0         17         CR-39           OH-HM         .94a7 High Mag 78D         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OH-78M         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32	OI-40M HD	BIO	1.49x	.67x	82°	NA	14.0	34.0	32	GLASS
OF-UM Maxing for Maxing for Maxing for Maxing for OF-6M HD Maxing for GO         SLIT LAMP         1.15x         .87x         76°         131°         11.0         30.0         17         CR-39           OF-6M HD Maxing for GO         SLIT LAMP         1.00x         1.00x         85°         154°         10.0         29.0         32         GLASS           OF-6M HD Maxing for GO         SLIT LAMP         91x         1.10x         91°         144°         8.0         27.0         25         GLASS           OF-6M HD Maxing for CD         SLIT LAMP         93x         1.00x         84°         139°         8.0         29.0         17         CR-39           OH-HM Maxing fright High Mag 78D         SLIT LAMP         93x         1.07x         84°         139°         8.0         29.0         17         CR-39           OH-HM Maxing fright High Mag 78D         SLIT LAMP         98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OH-HM Maxing fright High Mag 78D         SLIT LAMP         71x         1.40x         105°         158°         7.0         27.0         21         GLASS           OF-STM HD Maxing fright Sundard 90         SLIT LAMP         75x         1.34x		SLIT LAMP	1.10x	.90x	86°	137°	10.0	29.0	25	GLASS
Of-GOM HD MaxTeried' 600         SLIT LAMP         1.00x         1.00x         85°         154°         10.0         29.0         32         GLASS           MaxTerid' 600         SLIT LAMP         .91x         1.10x         91°         144°         8.0         27.0         25         GLASS           OI-50M HD MaxTerid' 720         SLIT LAMP         .83x         1.20x         102°         155°         7.0         27.0         21         GLASS           OI-72M HD MaxTerid' 720         SLIT LAMP         .83x         1.20x         102°         155°         7.0         27.0         21         GLASS           OI-HM-78M HD MaxTerid' 720         SLIT LAMP         .93x         1.07x         84°         139°         8.0         29.0         17         CR-39           OI-HM-78M HD MaxTerid' 720 HD         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OI-78M MaxTerid' 190 Mag 78D         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OI-78M MaxTerid' 280 HD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         19.0 <td>OI-UM</td> <td>SLIT LAMP</td> <td>1.15x</td> <td>.87x</td> <td>76°</td> <td>131°</td> <td>11.0</td> <td>30.0</td> <td>17</td> <td>CR-39</td>	OI-UM	SLIT LAMP	1.15x	.87x	76°	131°	11.0	30.0	17	CR-39
MaxField* 660         SLIT LAMP         .91x         1.10x         91°         144°         8.0         27.0         25         GLASS           OI-72M HD MaxField*72D         SLIT LAMP         .83x         1.20x         102°         155°         7.0         27.0         21         GLASS           OI-HM MaxField*72D         SLIT LAMP         .93x         1.07x         84°         139°         8.0         29.0         17         CR-39           OI-HM MaxField*High Mag 78D         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OI-78M MaxField*High Mag 78D         SLIT LAMP         .98x         1.02x         88°         155°         7.0         27.0         21         GLASS           OI-78M MaxField*78D HD         SLIT LAMP         .77x         1.30x         98°         155°         7.0         27.0         21         GLASS           OI-57M MaxField*78D HD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           OI-57D M MaxLight* Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0	OI-60M HD	SLIT LAMP	1.00x	1.00x	85°	154°	10.0	29.0	32	GLASS
Matrield 72D         SLIT LAMP         .5X         1.20X         102         133         7.0         27.0         21         GLASS           OI-HM         MaxLight High Mag 78D         SLIT LAMP         .93X         1.07X         84°         139°         8.0         29.0         17         CR-39           OI-HM-78M HD         SLIT LAMP         .98X         1.02X         88°         154°         10.0         29.0         32         GLASS           OI-HM-78M HD         SLIT LAMP         .98X         1.02X         88°         154°         10.0         29.0         32         GLASS           OI-BM         MaxField High Mag 78D         SLIT LAMP         .98X         1.02X         88°         155°         7.0         27.0         21         GLASS           OI-BM MD         SURGICAL         .77X         1.30X         98°         155°         7.0         27.0         28         GLASS           OI-STD MARField 78D HD         SLIT LAMP         .71X         1.40X         105°         158°         5.0         19.0         6         CR-39           OI-STD MHD         SLIT LAMP         .75X         1.34X         94°         153°         5.0         19.0         15 <t< td=""><td></td><td>SLIT LAMP</td><td>.91x</td><td>1.10x</td><td>91°</td><td>144°</td><td>8.0</td><td>27.0</td><td>25</td><td>GLASS</td></t<>		SLIT LAMP	.91x	1.10x	91°	144°	8.0	27.0	25	GLASS
MaxLight High Mag 78D         SLIT LAMP         .93X         1.07X         84         139         8.0         29.0         17         CR-39           OI-HM-78M HD MaxField High Mag 78D         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OI-78M Osher MaxField 78D HD         SLIT LAMP & SURGICAL SCOPE         .77x         1.30x         98°         155°         7.0         27.0         21         GLASS           OI-78M MaxField 78D HD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           OI-78M MaxField 78D HD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           OI-5TD MaxLight Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         6         CR-39           OI-STD M HD MaxField Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STD-LR MaxLight Stad 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153° <td>OI-72M HD</td> <td>SLIT LAMP</td> <td>.83x</td> <td>1.20x</td> <td>102°</td> <td>155°</td> <td>7.0</td> <td>27.0</td> <td>21</td> <td>GLASS</td>	OI-72M HD	SLIT LAMP	.83x	1.20x	102°	155°	7.0	27.0	21	GLASS
OI-HM-78M HD MaxField High Mag 78D         SLIT LAMP         .98x         1.02x         88°         154°         10.0         29.0         32         GLASS           OI-78M Osher MaxField 78D HD         SUT LAMP SCOPE         .77x         1.30x         98°         155°         7.0         27.0         21         GLASS           OI-78M AaxField 78D HD         SLIT LAMP         .77x         1.30x         98°         155°         7.0         27.0         21         GLASS           OI-84M HD MaxField 78D MD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           OI-84M HD MaxField 78D MD         SLIT LAMP         .71x         1.40x         105°         158°         5.0         19.0         6         CR-39           MaxField 78D MD         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STDM HD MaxField 780 dy WLg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR MD MaxField 780 dy WLg Ring         SLIT LAMP         .75x         1.34x         94°         153°	OI-HM	SLIT LAMP	.93x	1.07x	84°	139°	8.0	29.0	17	CR-39
Ol-78M Osher MaxField 78D HD         SLIT LAMP & SURGICAL SCOPE         .77x         1.30x         98°         155°         7.0         27.0         21         GLASS           Ol-84M HD MaxField 84D         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           Ol-STD MaxLight Standard 90         SLIT LAMP         .71x         1.40x         105°         158°         5.0         27.0         28         GLASS           Ol-STD MaxLight Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         6         CR-39           Ol-STD M HD MaxField Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           Ol-STD-LR MaxField Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           Ol-STDM-LR HD MaxField Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           Ol-STDM-LR HD MaxField Std 90 w/Lg Ring         SLIT LAMP         .60x         1.67x         110° </td <td>OI-HM-78M HD</td> <td>SLIT LAMP</td> <td>.98x</td> <td>1.02x</td> <td>88°</td> <td>154°</td> <td>10.0</td> <td>29.0</td> <td>32</td> <td>GLASS</td>	OI-HM-78M HD	SLIT LAMP	.98x	1.02x	88°	154°	10.0	29.0	32	GLASS
MaxField* 84D         SLIT LAMP         .71x         1.40x         103         138         3.0         27.0         28         GLASS           OI-STD MaxLight* Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         6         CR-39           OI-STDM HD MaxField* Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STDM HD MaxField* Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STDM-LR MaxLight* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR HD MaxField* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-STDM-LR HD MaxField* Std 90 w/Lg Ring         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField* 100D         SLIT LAMP         .50x         2.00x         120°         1	OI-78M	& SURGICAL	.77x	1.30x	98°	155°	7.0	27.0	21	GLASS
OI-STD MaxLight Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         6         CR-39           OI-STDM HD MaxField Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STDM HD MaxField Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STDM-LR HD MaxField Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR HD MaxField Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-STDM-LR HD MaxField Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-100M HD MaxField 100D         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField 120D         SLIT LAMP         .50x         2.00x         120°			.71x	1.40x	105°	158°	5.0	27.0	28	GLASS
OI-STDM HD MaxField' Standard 90         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STD-LR MaxLight' Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         9         GLASS           OI-STD-LR MaxLight' Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR HD MaxField' Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-100M HD MaxField' 100D         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField' 100D         SLIT LAMP         .50x         2.00x         120°         173°         4.0         21.0         19         GLASS           OI-SP HD         SUIT LAMP         .45x         2.20x         90°         158°         4.0         16.0         9         GLASS	OI-STD	SLIT LAMP	.75x	1.34x	94°	153°	5.0	19.0	6	CR-39
OI-STD-LR MaxLight* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR HD MaxField* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         15         CR-39           OI-STDM-LR HD MaxField* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-100M HD MaxField* 100D         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField* 120D         SLIT LAMP         .50x         2.00x         120°         173°         4.0         21.0         19         GLASS           OI-SP HD         SUT LAMP         .45x         2.23x         .90°         158°         4.0         16.0         .9         .61ASS	OI-STDM HD	SLIT LAMP	.75x	1.34x	94°	153°	5.0	19.0	9	GLASS
OI-STDM-LR HD MaxField* Std 90 w/Lg Ring         SLIT LAMP         .75x         1.34x         94°         153°         5.0         19.0         18         GLASS           OI-100M HD MaxField* 100D         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField* 120D         SLIT LAMP         .50x         2.00x         120°         173°         4.0         21.0         19         GLASS           OI-SP HD         SUT LAMP         .45x         2.23x         .90°         158°         4.0         16.0         .9         GLASS	OI-STD-LR	SLIT LAMP	.75x	1.34x	94°	153°	5.0	19.0	15	CR-39
OI-100M HD MaxField 100D         SLIT LAMP         .60x         1.67x         110°         146°         4.0         21.0         18         GLASS           OI-120M HD MaxField 120D         SLIT LAMP         .50x         2.00x         120°         173°         4.0         21.0         19         GLASS           OI-SP HD         SUT LAMP         .45x         2.23x         .90°         158°         4.0         16.0         .9         .61ASS	OI-STDM-LR HD	SLIT LAMP	.75x	1.34x	94°	153°	5.0	19.0	18	GLASS
OI-120M HD MaxField* 120D         SLIT LAMP         .50x         2.00x         120°         173°         4.0         21.0         19         GLASS           OI-SP HD         SUIT LAMP         45x         2.20x         90°         158°         4.0         16.0         9         GLASS	OI-100M HD	SLIT LAMP	.60x	1.67x	110°	146°	4.0	21.0	18	GLASS
OI-SP HD SI IT I AMP 45x 2 22x 00° 158° 4.0 16.0 9 GI ASS	OI-120M HD	SLIT LAMP	.50x	2.00x	120°	173°	4.0	21.0	19	GLASS
COATING: Laserlight <sup>*</sup> and Laserlight <sup>*</sup> HD anti-reflective coating, for maximum brightness and easy cleaning, see page 66	OI-SP HD	SLIT LAMP	• •							•









## BINOCULAR INDIRECT OPHTHALMOSCOPY (BIO) LENSES

MAXLIGHT<sup>°</sup> CR-39 ASPHERIC LENSES

#### OCULAR MAXLIGHT<sup>°</sup> 14 DIOPTER

High magnification for detailed examination of macula and optic disc. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	0	Laser Spot Mag.		Working Distance	Clear Aperture	Lens Weight
OI-14	4.29x	.23x	37°	72mm	52mm	34g

#### OCULAR MAXLIGHT<sup>°</sup> 18 DIOPTER

High resolution image with 15% more magnification than a 20D for greater detail. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	Image Mag.	Laser Spot Mag.		Working Distance		Lens Weight
OI-18	3.40x	.29x	44°	55mm	48mm	39g

#### OCULAR MAXLIGHT<sup>°</sup> 20 DIOPTER

Most common lens for B.I.O. High resolution image. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code				Working Distance		Lens Weight
OI-20	2.97x	.34x	50°	47mm	48mm	39g

#### OCULAR MAXLIGHT<sup>°</sup> TRIPLE TWO PANFUNDUS

Bigger aperture and field of view than a 20D. 22D lens for general fundus exam with the binocular indirect ophthalmoscope. Large diameter and unique optical design combine magnification with very wide field of view. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	0	Laser Spot Mag.		0		Lens Weight
OI-222	2.72x	.37x	60°	39mm	52mm	48g

Ocular Indirect Lenses come with Laserlight<sup>\*</sup> coating for maximum brightness and easy cleaning, see page 66.

**INDIRECT** DIAGNOSTIC/LASER LENSES



#### **OCULAR MAXLIGHT<sup>°</sup> 28 DIOPTER**

Excellent lens for use during pediatric examinations. Excellent general purpose lens. Small diameter, easy to handle. Popular for examining children. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	Image Mag.			0		Lens Weight
OI-28	2.13x	.47x	58°	29mm	38mm	22g

#### MAXFIELD° GLASS ASPHERIC LENSES

NEW Laserlight<sup>®</sup> HD anti-reflective coating now available on our MaxField<sup>®</sup> Indirect product line. Brighter images. Less reflection.

#### OCULAR MAXFIELD° 14D

High magnification for high detail. Features a computer optimized aspheric design for maximum resolution and field of view. Made of high transmittance glass for bright, clear images. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

	Image	Laser	Static	Working		Lens
Product Code	Mag.	Spot Mag.	FOV	Distance	Aperture	Weight
OI-14M	4.17x	.24x	38°	72mm	52mm	57g



axField"

#### OCULAR MAXFIELD° 18D

High resolution image with 15% more magnification than a 20D for greater detail. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

Product Code	0		Static FOV	0	Clear Aperture	Lens Weight
OI-18M	3.40x	.29x	44°	55mm	48mm	58g



#### OCULAR MAXFIELD° 20D

Most common lens for B.I.O. High resolution image. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

	Image	Laser	Static	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	Distance	Aperture	Weight
OI-20M	2.97x	.34x	50°	47mm	48mm	56g

INDIRECT LENSES USE CLEANING METHOD 2





High resolution 20 diopter lens offered at the same comfortable diameter as our traditional 28D lens. More ergonomic than the traditional 20D\* for smaller patients, the new OI-20MS glass aspheric lens features our NEW Laserlight<sup>\*</sup> HD anti-reflective coating and is ideal for digital imaging and laser transmission. See Coatings and Materials (page 66) for more details.

\* Ocular Instruments 0I-20M clear aperature = 48mm

Product Code	Image Mag.	Laser Spot Mag.		0		Lens Weight
	0	1 0	40°	47mm	1	39g

#### OCULAR MAXFIELD° 22D

Bigger aperture and field of view than a 20D. Features a computer optimized aspheric design for maximum resolution and field of view. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		0		Lens Weight
OI-22M	2.73x	.37x	60°	39mm	52mm	73g

#### OCULAR MAXFIELD° 25D

Ideal for examination of ROP patients. Excellent lens for use during pediatric examinations. More field of view than a 20D. Features a computer optimized aspheric design for maximum resolution and field of view. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

	Image	Laser	Static	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	Distance	Aperture	Weight
OI-25M	2.40x	.42x	63°	33mm	48mm	59g

#### OCULAR MAXFIELD° 28D

Excellent lens for use during pediatric examinations. Excellent general purpose lens. Small diameter easy to handle. Popular for examining children. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

Product Code	0	Laser Spot Mag.		0		Lens Weight
OI-28M	2.11x	.47x	58°	27mm	38mm	39g











#### OCULAR MAXFIELD° 30D

10% more field than a 28D. Features a computer optimized aspheric design for maximum resolution and field of view. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

Product Code	Image Mag.		Static FOV	Working Distance		Lens Weight
OI-30M	1.97x	.51x	63°	26mm	38mm	38g



#### OCULAR MAXFIELD° 35D

Works well through small pupils. Features a computer optimized aspheric design for maximum resolution and field of view. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

Product Code	0			Working Distance		Lens Weight
OI-35M	1.71x	.58x	74°	17mm	34mm	32g



#### OCULAR MAXFIELD° 40D

Quick scanning lens that works well through small pupils. For use during pediatric examinations. Features a computer optimized aspheric design for maximum resolution and field of view. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for details.

Product Code	0	Laser Spot Mag.		0		Lens Weight
OI-40M	1.49x	.67x	82°	14mm	34mm	32g



#### **OCULAR LANDERS ROP LENS ATTACHMENT**

Engraved bezel and crosshairs allow clock hour estimation in neo-vascularization when viewing ROP. Estimate the size of inflammatory/non-inflammatory retinal lesions. Grid spacing aids in estimating the size of ocular tumors. Bezel is conveniently marked at hour and half hour locations. Designed to fit anterior side of Ocular 28D Indirect Lenses\*. The Ocular 28D Indirect Lenses are sold separately.

Product Code OI-LROP

\*Lens design with diamond knurl pattern only



#### **OCULAR SAXENA RETINAL GRID 428**

Monofilament line at 4.0mm spacing provides reference to the size of the optic disc. Estimate the size of inflammatory/non-inflammatory retinal lesions. Grid spacing aids in estimating the size of ocular tumors. Easily estimates the amount of disk edema. Ideal for ROP. Designed to fit anterior side of Ocular 28D Indirect Lenses.\* The Ocular 28D Indirect Lenses are sold separately.

Product Code OI-SRG428

\*Lens design with diamond knurl pattern only

#### **OCULAR SAXENA RETINAL GRID 520**

Monofilament line at 5.20mm spacing provides reference to the size of the optic disc. Estimate the size of inflammatory/non-inflammatory retinal lesions. Grid spacing aids in estimating the size of ocular tumors. Easily estimate the amount of disk edema. Easily fits onto anterior side of Ocular 20D Indirect lenses\*. The Ocular 20D Indirect Lenses are sold separately.

Product Code

OI-SRG520

\* Lens design with diamond knurl pattern only

#### MAXAC° INDIRECT LENSES

#### OCULAR MAXAC° 20 DIOPTER

Provides ultra high resolution retinal image with the B.I.O. during clinical practice or in the operating room. Features computer optimized aspheric design for maximum resolution and field of view. STEAM AUTOCLAVABLE.

Lens not sold in autoclavable case. To order an autoclavable case order the OI-ST.

Product Code	Image Mag.	Laser Spot Mag.		0		Lens Weight
OI-20A	3.03x	.33x	50°	47mm	48mm	51g

#### OCULAR MAXAC° 28 DIOPTER

Provides ultra high resolution retinal image with the B.I.O. during clinical practice or in the operating room. Features computer optimized aspheric design for maximum resolution and field of view. Small diameter, easy to handle. STEAM AUTOCLAVABLE. Lens not sold in autoclavable case. To order an autoclavable case order the OI-ST.

Product Code	Image Mag.	Laser Spot Mag.	Static FOV	0		Lens Weight
OI-28A	2.15x	.47x	59°	28mm	38mm	36g

Ocular Indirect Lenses come with Laserlight\* coating for maximum brightness and easy cleaning, see page 66.

MaxAC<sup>®</sup> autoclavable lenses are uncoated for sterilization compatability.





MaxAC 200



#### OCULAR MAXAC° (AUTOCLAVABLE) LENS STAND

The lens stand minimizes water spots from the autoclave. Use during sterilization to hold the lens on edge.

Product Code OI-LSA

#### SLIT LAMP INDIRECT OPHTHALMOSCOPY LENSES

#### MAXLIGHT<sup>°</sup> CR-39 ASPHERIC LENSES



#### OCULAR MAXLIGHT<sup>°</sup> ULTRA MAG 60

Designed for detailed examination of the macula and optic disc. Precision computer aided design and manufacturing yield high resolution. Available with red, blue, green, gold, purple, or traditional black holding ring.

	Image	Laser	Static	Dynamic	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	FOV	Distance	Aperture	Weight
OI-UM	1.15x	.87x	76°	131°	11mm	30mm	17g



#### OCULAR MAXLIGHT° HIGH MAG 78

Unique combination of magnification and field. High resolution to examine fine detail. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	0	Laser Spot Mag.		/	0		Lens Weigh <b>t</b>
OI-HM	.93x	1.07x	84°	139°	8mm	29mm	17g

INDIRECT LENSES USE CLEANING METHOD 2 MaxAC<sup>\*</sup> AUTOCLAVABLE LENSES USE METHOD 3



#### OCULAR MAXLIGHT<sup>°</sup> STANDARD 90

The most popular power for non-contact fundus examination. Large and small holding ring available. Available with red, blue, green, gold, purple, or traditional black holding ring.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-STD	.75x	1.34x	94°	153°	5mm	19mm	6g
OI-STD-LR	.75x	1.34x	94°	153°	5mm	19mm	15g

## MAXFIELD° GLASS ASPHERIC LENSES

Laserlight<sup>®</sup> HD anti-reflective coating available on our MaxField<sup>®</sup> Indirect product line. Brighter images. Less reflection.

#### OCULAR MAXFIELD° 54D

High magnification and resolution for examining macula and disc. Excellent for high resolution digital imaging. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag	1	0		Lens Weight
OI-54M	0	1 0			1	0

#### OCULAR MAXFIELD° 60D

High resolution lens produces one to one image of fundus. Excellent for high resolution digital imaging. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-60M	1.00x	1.00x	85°	154°	10mm	29mm	32g

Ocular Indirect Lenses come with Laserlight\* coating for maximum brightness and easy cleaning, see page 66.







#### OCULAR MAXFIELD° 66D

Static field of view to the arcades. Larger stereoscopic field than 60D. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

	Image	Laser	Static	Dynamic	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	FOV	Distance	Aperture	Weight
OI-66M	.91x	1.10x	91°	144°	8mm	27mm	25g



#### OCULAR MAXFIELD° 72D

Performance like a 78D with a little more magnification. Unique design minimizes reflections. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

	Image	Laser	Static	Dynamic	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	FOV	Distance	Aperture	Weight
OI-72M	.83x	1.20x	102°	155°	7mm	27mm	21g



#### OCULAR MAXFIELD° HIGH MAG 78D

Traditional 78D. Made of high transmittance glass and featuring a wavefront optimized double aspheric design that yields an extremely wide field and sharp image. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens <u>Weight</u>
OI-HM-78M	.98x	1.02x	88°	154°	10mm	29mm	32g

INDIRECT LENSES USE CLEANING METHOD 2



#### OCULAR OSHER MAXFIELD° 78D

Formerly called the Osher Panfundus Lens. 78D high refractive index glass lens gives wider field than a traditional 78. Very high resolution and wide field for slit lamp fundus examination. Unique design minimizes reflections. Works very well with surgical microscope. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-78M	.77x	1.30x	98°	155°	7mm	27mm	21g

#### OCULAR MAXFIELD° 84D

Very high precision image. We call it the Wide Field 90D because it has more static field of view. Excellent for high resolution digital imaging. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-84M	.71x	1.40x	105°	158°	5mm	27mm	28g



#### OCULAR MAXFIELD<sup>°</sup> STANDARD 90

The most popular power for non-contact fundus examination. Large and small holding ring available. Also available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-STDM	.75x	1.34x	94°	153°	5mm	19mm	9g
OI-STDM-LR	.75x	1.34x	94°	153°	5mm	19mm	18g

Ocular Indirect Lenses come with Laserlight\* coating for maximum brightness and easy cleaning, see page 66.





#### OCULAR MAXFIELD° 100D

General screening lens. Works well through small pupils. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight<sup>•</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
OI-100M	.60x	1.67x	110°	146°	4mm	21mm	18g



#### OCULAR MAXFIELD° 120D

High refractive index glass and precision aspheric design yield an extremely wide field and sharp image. Excellent through small pupils, 80° field of view through a 2mm pupil. Available with red, blue, green, gold, purple, or traditional black holding ring. Now with our NEW Laserlight HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

	Image	Laser	Static	Dynamic	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	FOV	Distance	Aperture	Weight
OI-120M	.50x	2.00x	120°	173°	4mm	21mm	19g



#### **OCULAR ULTRA VIEW SMALL PUPIL**

132D lens permits detailed retinal inspection well outside the arcades. Primarily designed to examine patients with small pupils. Retains an 85° field of view through a 2mm pupil. Now with our NEW Laserlight<sup>\*</sup> HD anti-reflective coating. See Coatings and Materials (page 66) for more details.

	Image	Laser	Static	Dynamic	Working	Clear	Lens
Product Code	Mag.	Spot Mag.	FOV	FOV	Distance	Aperture	Weight
OI-SP	.45x	2.22x	99°	158°	4mm	16mm	9g

INDIRECT LENSES USE CLEANING METHOD 2

#### **OCULAR INVERTER VITRECTOMY**



Designed to work with Zeiss, Zeiss type (Topcon, Moeller, etc.) and Leica (Wild) microscopes. Easy to operate with steam sterilizable knob. Short profile for use with all fixed and inclinable eyepieces. No light loss in upright mode. Virtually no image shift when switching between upright and inverting modes. Crystal clear optics. Compatible with all wide angle inverting vitrectomy lenses. Available with Ocular Wide Angle Vitrectomy Lenses. (See sets on Page 42)

#### Product Code

OIVS2L	IVS for Leica (Wild) Microscopes
OIVS2Z	IVS for Zeiss and Zeiss Type Microscopes

#### INCLUDES:

#### Product Code

OIVS2-K	Rubber Adjustment Knob (steam sterilizable)
OIVS-SD	Screw Driver, slotted, 3/16"
OIVS-C	Carrying Case (shown in Cases, p. 60)

#### **OCULAR VITRECTOMY LENS HANDLE**

Designed to be used with the Wide Field and Equatorial lenses, the handle provides additional stability to the lens while sitting in the ring during a procedure.

Product Code OLIV-H WIDE ANGLE SURGICAL SYSTEMS



#### **OCULAR LANDERS WIDE FIELD VITRECTOMY LENS**

155D lens produces wide angle inverted image. Allows panoramic viewing of far peripheral retina. Clear image in fluid or gas filled eye. Works well with hazy ocular media or through a small pupil. Steam sterilizable, can be quickly prepared for a demanding surgical schedule. Stable in tall sutured lens ring.



Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OLIV-WF	.38x	12mm	130°	146°



#### OCULAR LANDERS EQUATORIAL II VITRECTOMY LENS

91D wide angle lens. For procedures from the posterior pole to the equator. Provides greater magnification and detail than Landers Wide Field. Steam sterilizable for rapid re-use.



Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OLIV-EQ-2	.65x	14.5mm	101°	131°




# OCULAR WOLDOFF HIGH MAGNIFICATION VITRECTOMY LENS

66D lens, ideal for wide angle viewing of the posterior pole. Its wide field provides stereopsis well beyond the area seen by a conventional flat lens. The high magnification and resolution create very precise depth perception. It provides an excellent image for delicate work around the macula such as macular hole surgery or peeling of epiretinal membranes from the macula. Lens of choice for videotaping macular procedures. Steam sterilizable for rapid re-use.



Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OWIV-HM	.90x	13.5mm	57°	100°

LENSES ON THIS PAGE USE CLEANING METHOD 3 ASK ABOUT OUR DISCOUNTS ON MULTIPLE LENS SETS!





Single-piece, 155D lens designed for clinical situations where autoclaving is either not available or not desired. Excellent for panoramic viewing of the far peripheral retina and laser photocoagulation when managing a peripheral retinal tear or giant retinal tear. Its wide field of view and low magnification make it particularly useful during fluid-gas exchanges. Excellent lens for use with media opacities such as cataracts and cloudy corneas, and works well through a small pupil. It is the lens of choice for videotaping important procedures.

Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OLIV-WFNA	.38x	12mm	130°	146°

#### **OCULAR LANDERS NON-AUTOCLAVABLE** EQUATORIAL VITRECTOMY LENS

Single-piece 91D lens designed for clinical situations where autoclaving is either not available or not desired. It is excellent for delicate membrane peeling around the optic nerve and off of the major vascular arcades. It also provides an excellent image for delicate work around the macula, such as macular hole surgery or peeling of epiretinal membranes from the macula.

101°

Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OLIV-EQNA	.65x	14.5mm	101°	131°



#### **OCULAR WOLDOFF NON-AUTOCLAVABLE** HIGH MAGNIFICATION VITRECTOMY LENS

Single-piece, 66D lens designed for clinical situations where autoclaving is either not available or not desired. It is ideal for wide angle viewing of the posterior pole. Its wide field provides stereopsis well beyond the area seen by a conventional flat lens. The high magnification and resolution create very precise depth perception. It provides an excellent image for delicate work around the macula such as macular hole surgery or peeling of epiretinal membranes from the macula. It also is the lens of choice for videotaping macular procedures.



Product Code	Image Mag.	Lens Height	Static FOV	Dynamic FOV
OWIV-HMNA	.90x	13.5mm	57°	100°

#### LENSES ON THIS PAGE USE CLEANING METHOD 1 Ocular wide angle vitrectomy lenses are compatible with all detachable inverting systems



WFNA

EQNA

HMNA Handle

Ring\*

ΗМ

IN ADDITION, IVS SETS INCLUDE: WF

EO II

PRODUCT CODE

THOBOCT CODE	•••	2011			LOUNT		manare	ining
OIVS2L-WE	1	1	0 0 0	0 0 0	0 0 0	0 0 0	2	1
OIVS2L-EH	•	1	1	•	•	•	1	1
OIVS2L-WH	1	•	1	•	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	1	1
OIVS2L-WEH	1	1	1	• • • • • • • • • • •	• • • • • • • • • • •	• • • • • • • • • • •	2	1
OIVS2L-WENA	•	• • • • • • • • •	• • • • • • • • • • •	1	1	• • • • • • • • • • •	2	1
OIVS2L-EHNA	• • •	•	•	•	1	1	1	1
OIVS2L-WHNA		•	•	1	•	1	1	1
OIVS2L-WEHNA	•	•	•	1	1	1	2	1
			•	•	•	•		
OIVS2Z-WE	1	1	• • • • • • • • • •	• • • • • • • • • •			2	1
OIVS2Z-EH	•	1	1	•	•	•	1	1
OIVS2Z-WH	1	•	1	•	•	•	1	1
OIVS2Z-WEH	1	1	1	•	•	•	2	1
OIVS2Z-WENA	•	•	•	1	1	•	2	1
OIVS2Z-EHNA	•	•	•	•	1	1	1	1
OIVS2Z-WHNA		•	•	1	• • • • • • • • •	1	1	1
OIVS2Z-WEHNA	•	•	•	1	1	1	2	1
*OLV-1-4P See pag	e 47		~	All produ	icts in this see	ction are also	available sep	arately.

**Buy in sets** 

**AND SAVE!** 

#### OCULAR LANDERS WIDE ANGLE SURGICAL VIEWING SYSTEM

Non-contact vitrectomy system designed with a flexible arm for positioning wide angle lenses which easily swings in and out of the surgical field. The OSVS [clamps] attaches to the wrist rest or surgical bed, freeing the surgeon's hands and the assistant to perform tasks other than holding a lens. When used with the Upright Vitrectomy Lens, the system allows the surgeon to work in the vitreous with an upright, non-reversed image under panoramic conditions. Can also hold an indirect lens for use with separate inverter. During surgery, operative work is performed both outside and inside the globe. Using lenses with the OSVS enables the surgeon to move back and forth smoothly and quickly. More affordable than similar systems.

#### **INCLUDES:** Ot

)ty	Product Code	
	OSVS-A	Arm, Slotted
	OSVS-AC	Arm Clamp
	OSVS-FC	Frame Clamp
	OSVS-LFM	Link, Female/Male (extras)
	OSVS-P	Post - 2 qty
	OSVS-SC	Support Collar
	OSVS-C	Carrying Case
	OSVS-W	Wrench
	OSVS-TS	Knobs (2 extra)

IN ADDITION, SVS SETS INCLUDE:				
PRODUCT CODE	OUV 132-2	OIV 132	Lens Holder	Lens Case
OSVS-U132-2	1	•	1	1
OSVS-I132 1 1 1				
All products in t	his section	are also ava	ilable sepai	rately.

2

Product Code

#### OCULAR PEYMAN-WESSELS-LANDERS 132D UPRIGHT VITRECTOMY LENS

Upright Wide Field Image without the need for a microscope mounted inverter. The 132D imaging optic gives a very wide, non-contact view of the fundus and vitreous. Unlike conventional wide angle lenses, the image of this lens is upright to simplify vitreo-retinal surgery. 4mm working distance for maximum field. 7mm working distance allows view of far periphery without repositioning the lens. This lens was designed to be used with the Ocular Landers Wide Angle Surgical Viewing System (OSVS). It attaches to the OSVS using the Ocular 132D Upright Vitrectomy Lens Holder (OUV-H132-2). Designed to allow a clear view in the fluid or air filled eye. Sterilizable case included.

Product CodeImage Mag.Static FOVDynamic FOVOUV-132-2.45x100°135°

Journal reference: American Journal of Ophthalmology, Vol. 136, No. 1, pp 199-201, July 2003.

#### OCULAR 132D UPRIGHT VITRECTOMY LENS HOLDER

Ring holder for the Peyman-Wessels-Landers 132D Upright Vitrectomy Lens. Includes two adjustable links that snap onto the end of the slotted arm of the Surgical Viewing System.

Product Code OUV-H132-2

### OCULAR 132D INDIRECT VITRECTOMY LENS

Designed to be used on the OSVS in conjunction with an Inverter Vitrectomy System. Sterilizable case included. Non-contact design allows the patient's eye to be rotated freely to view the peripheral retina and vitreous.

Product CodeImage Mag.Static FOVDynamic FOVOIV-132.45x99°135°

### OCULAR 132D INDIRECT VITRECTOMY LENS HOLDER

Clip style holder for the Indirect 132D Upright Vitrectomy Lens. Includes two adjustable links that snap onto the end of the slotted arm of the Surgical Viewing System.

Product Code OIV-H132 **Direct and Upright Image** 

Reinverting

Optics



PEYMAN WESSELS LANDERS WIDE FIELD VITRECTOMY LENS

OCULAR INSTRUMENTS INC.

MADE IN USA PART# OUV 132-2 SURGICAL LENSES

#### LANDERS HIGH REFRACTIVE INDEX (HRI) VITRECTOMY LENS SET

Made from high refractive index glass, the HRI lenses offer a wider field of view, with less distortion and reflections. Each possesses new curves and angles, resulting in sharper, clearer peripheral and posterior retinal and vitreous images when compared with earlier lenses. This means fewer lens changes during the surgical procedure. The Landers Tall Notched Lens Ring (no struts) makes scleral depression easier when operating in the region of the vitreous base. The Landers Occluder fits precisely in the lens ring and protects the macula from inadvertent light/photo damage. Set also includes five vitrectomy lenses, lens forceps, and an autoclavable case.

<b>HRI VITRECTOMY</b> LENS SPECIFICATIONS				
PRODUCT CODE	Image Mag	Static FOV		
OLV-2-HRI	0.78x	28°		
OLV-3-HRI	1.49x	34°		
OLV-4-HRI	0.58x	48°		
OLV-6-HRI	0.58x	44°		
OLV-7-HRI	0.58x	38°		
DOT ON ANTER	RIOR SURFACE IDEN	TIFIES HRI LENS		

QUARTZ VITRECTOMY LENS SPECIFICATIONS PRODUCT CODE Static FOV Image Mag OLV-2 0.80x 25° OLV-3 1.49x 30° . . . OLV-4 48° 0.49x OLV-5 1.02x 36° OLV-5SR 1.02x 36° . . . OLV-6 1.02x 36° OLV-7 1.02x 33° OI V-8 102x 22° OLV-9 0.40x 18°



#### OLVS-HRI

Landers HRI Vitrectomy Lens Set includes:

#### 1. OLV-2-HRI Biconcave 90D Lens

90D biconcave lens facilitates viewing the fundus in an air-filled vitreous cavity in phakic and pseudophakic eyes.

#### 2. OLV-3-HRI Magnifying Lens

For detailed examination and minute surgical manipulation of retinal membranes in phakic and pseudophakic eyes.

#### 3. OLV-4-HRI Wide Field Lens

Plano anterior surface facilitates a 48° field of view when visualizing the central posterior pole and central vitreous in phakic and pseudophakic eyes.

#### 4. **OLV-6-HRI** 20° Prism Lens

Provides visualization of the posterior peripheral fundus and posterior peripheral vitreous in phakic, aphakic and pseudophakic eyes.

#### 5. OLV-7-HRI 30° Prism Lens

Provides visualization of the peripheral fundus and peripheral vitreous beyond the equator with minimal distortion in phakic, aphakic and pseudophakic eyes.

#### 6. **OLV-1-TN** Landers Tall Notched Vitrectomy Lens Ring

This stainless steel ring is centered on the cornea. Three notches are designed in the top of the ring for suture placement on the sclera.

#### 7. **OLV-OC** Landers Occluder

When placed in stainless steel ring, occluder blocks microscope light from entering patient's eye during external procedures such as suturing.

#### 8. **OLV-FCP** Landers Lens Forceps

Surgical forceps simplify placement and removal of vitrectomy lenses used with suture down rings.

TRY SILICONE RINGS - HIGH STABILITY WITHOUT SUTURES













#### **OCULAR LANDERS** VITRECTOMY LENS RING SYSTEM

The Landers Vitrectomy Lens Ring System is available with your choice of the Landers Vitrectomy Lens Ring with two struts, or the Landers Tall Notched Vitrectomy Lens Ring (no struts), and includes the Landers Occluder, seven vitrectomy lenses, lens forceps and an autoclavable case.



**OLVS-3 AND OLVS-3N** Ocular Landers Vitrectomy Lens Ring System includes:

#### 1. OLV-2 Landers Biconcave

83D biconcave lens facilitates viewing the fundus in an air-filled vitreous cavity in phakic and pseudophakic eyes.

#### 2. OLV-3 Machemer Magnifying

For detailed examination and minute surgical manipulation of retinal membranes in phakic and pseudophakic eyes.

#### 3 OLV-4 Peyman Wide Field

Concave anterior surface facilitates a 48° field of view when visualizing the central posterior pole and vitreous in phakic and pseudophakic eyes.

#### 4. OLV-5 Machemer Flat

The plano anterior surface affords a 36° field of view of the central posterior pole and vitreous in phakic and pseudophakic eyes. This lens is ideal for photography.

#### 5 OLV-6 Tolentino 20° Prism

Provides visualization of the posterior peripheral fundus and vitreous in phakic, aphakic and pseudophakic eyes.

#### 6. OLV-7 Tolentino 30° Prism

Provides visualization of the peripheral fundus and vitreous beyond the equator with minimal distortion in phakic, aphakic and pseudophakic eyes.

7. OLV-9 Woldoff Prismatic Biconcave Designed to allow a clear view of the retinal periphery in the gas or air-filled phakic or pseudophakic eye. Very useful for laser endophotocoagulation in the periphery, or for visualizing the cannulated extrusion needle through a peripheral retinal break in the gas-filled phakic or pseudophakic eye.

#### 8 OLV-1 Landers Vitrectomy Lens Ring

(included in set OLVS-3) Stainless steel ring with two suture down struts.

#### Landers Tall Notched 9. OLV-1-TN Vitrectomy Lens Ring

(included in set OLVS-3N) This stainless steel ring is centered on the cornea. Three notches are designed in the top of the ring for suture placement on the sclera.

#### 10 **OLV-OC** Landers Occluder

When placed in stainless steel ring, occluder blocks microscope light from entering patient's eye during external procedures such as suturing.

11. **OLV-FCP** Landers Lens Forceps Surgical forceps simplify placement and removal of vitrectomy lenses used with suture down rings.

## **PRODUCTS SOLD IN SETS ARE ALSO AVAILABLE SEPARATELY.**







OLV-3

011/-2

OI V-9

OI V-7


## SURGICAL LENSES



#### **ALSO AVAILABLE:**

#### **OLV-5SR** OCULAR MACHEMER PLUS

Our Machemer Flat Lens (OLV-5) is provided with a silicone flange. This combination is for observation or surgery of the central retina and vitreous when the use of a suture down ring is not desired.





#### OLV-8 OCULAR LANDERS 50° PRISM

Allows visualization for vitrectomy and endophotocoagulation procedures in the far peripheral retina in phakic and pseudophakic eyes.



#### **OCULAR DISPOSABLE VITRECTOMY LENSES**

High resolution PMMA optics with a silicone flange for stability. Ocular Disposable Vitrectomy Lenses are designed to be used once, then discarded. Packaged individually in a sterile peel pack, and sold in a box of 10. The silicone flange replaces the need for a suture-down ring.



83D biconcave lens facilitates viewing the fundus in an air-filled vitreous cavity in phakic and pseudophakic eyes.

**ODVF - FLAT** 

The plano anterior surface affords a 36° field of view of the central posterior pole and vitreous in phakic and pseudophakic eyes. This lens is ideal for photography.



#### **ODVM - MAGNIFYING**

For detailed examination and minute surgical manipulation of retinal membranes in phakic and pseudophakic eyes.

#### **ODVW - WIDE FIELD**

Concave anterior surface facilitates a 48° field of view when visualizing the central posterior pole and vitreous in phakic and pseudophakic eyes.



#### ODV3P - 30° PRISM

Provides visualization of the posterior peripheral fundus and vitreous beyond the equator with minimal distortion in phakic, aphakic and pseudophakic eyes.

#### **OCULAR VITRECTOMY LENS RINGS**

#### **OFV-4** FOXMAN VITRECTOMY

Designed to be stable on the eye by straddling the inserted trocar thus not requiring sutures. Struts are spaced for a 2.4mm wide trocar and have markings at 3mm and 4mm from the limbus.

#### **OLV-1S** LANDERS SILICONE

This flexible lens flange provides uncompromised lens stability during vitrectomy surgery. The silicone ring can be used with all Ocular wide field and Landers System vitrectomy lenses. The narrow flange allows full access to the surgical sites and is ideal for 25 gauge surgery. Four per package.

#### **OLV-1-4P** LANDERS FOUR POST

Two sutures placed over one post on each side hold this ring on the eye. Either post can be selected to center the ring over the patient's pupil.

#### **OLV-1-IN** LANDERS IRRIGATING NOTCHED

Irrigation version of notched ring. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.

#### **OLV-1-IR** LANDERS IRRIGATING

This ring features an irrigation port. Sutures secure the two struts to the sclera which allows blood to be irrigated away and keeps the cornea moist. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.

#### OTN-R TANO VITRECTOMY LENS RING

This ring, with four upright tabs for suturing, requires only one circumferential suture. Fast, easy positioning, adjustment and removal without cutting or removing the suture.

Journal Reference: Ophthalmic Surgery & Lasers, Vol. 27, No. 10, p. 891, October 1996

#### **OCULAR REICHEL VISCOUS CONTACT SYSTEM**

Integrates lens handle and delivery of viscoelastic or other solutions into one system. Designed for use with 5ml syringe\*, which is not included. Can be bent as desired to suit individual preference. Designed to be used with all Ocular Instruments Wide Field and Equatorial vitrectomy lenses.

Product Code

ORVCS

\*Can be used with BD 5ml syringe #309603 and BD Angiocath IV catheter #318123 (Remove needle prior to use). Recommended length of flexible catheter is 3-4mm, check for clearance between tip and patients eye prior to use.

Journal reference: Ophthalmic Surgery Lasers & Imaging, Vol. 40, No. 6, pp. 611-612, November / December 2009.

#### OCULAR REICHEL VITRECTOMY LENS HOLDER

The Reichel Vitrectomy Lens Holder allows the use of vitrectomy lenses with the Ocular Reichel Viscous Contact System (ORVCS, see page 39). Vitrectomy lenses are conveniently transformed into a handheld lens by using the Vitrectomy Lens Holder. Designed for use with the following lenses: OLV-2-HRI, OLV-3-HRI, OLV-4-HRI, OLV-3, OLV-4, OLV-5, ODVF, and ODVW. The ORVCS is sold separately.

Product Code

ORVLH

REICHEL

Journal reference: Ophthalmic Surgery Lasers & Imaging, Vol. 40, No. 6, pp. 611-612, November / December 2009.

#### PRODUCTS ON THIS PAGE USE CLEANING METHOD 3

SURGICAL LENSES

<b>PEDIATRIC VITRECTOMY</b> LENS SPECIFICATIONS			
PRODUCT CODE	Image Mag	Static FOV	
OPV-B	1.03x	25°	
OPV-F	1.02x	36°	
OPV-P	1.02x	33°	

#### OCULAR PEDIATRIC VITRECTOMY LENS SET

The Pediatric Vitrectomy Lens Set is for early Retinopathy of Prematurity and congenital developmental anomalies such as Primary Persistent Hyperplastic Vitreous. These 8mm diameter lenses provide a clear view of the entire retina and optic nerve while preventing accidental lens/cornea separation which often occurs with large adult lenses. A groove on the side of the lens allows securing with 3.0 orthopedic suture wire or the lens ring may be used. Set includes three lenses, lens ring, forceps and an autoclavable case.

#### OPV-S

Ocular Pediatric Vitrectomy Lens Set includes:

#### **OPV-B** Pediatric Biconcave

92D lens allows clear view of fundus in an air filled vitreous cavity in phakic eyes.

#### **OPV-F** Pediatric Flat

For visualizing the central posterior and central vitreous in a fluid filled eye.

#### **OPV-P** Pediatric Prism

Allows peripheral viewing beyond the equator with minimal distortion.



**OPV-R** Pediatric Vitrectomy Lens Ring Stainless steel ring with two suture down struts.

#### **OPV-FCP** Pediatric Lens Forceps

Surgical forceps simplify placement and removal of vitrectomy lenses used with suture down rings.



#### PRODUCTS ON THIS PAGE USE CLEANING METHOD 3





#### OCULAR HEXAGONAL VITRECTOMY LENSES

Ergonomically designed hexagonal infusion handle makes these lenses easy to hold and manipulate. Female Luer hub built in to end of handle. Unique ring design keeps infusion cannula out of the surgical field even at steep tilt angles. Four styles: Flat, Biconcave, Magnifying, and Wide Field. Steam Sterilizable. To order a replacement Luer Tube Assembly order the OLTA-2, see accessory section.

		Image	Contact	Static
Product Code	Style	Mag.	Diameter	FOV
OHFVE	Flat	1.02x - fluid filled	11.8mm36°	
OHMVE	Magnifying	1.47x - fluid filled	11.8mm30°	
OHBVE	Biconcave	0.80x - air filled	11.8mm24°	
OHWVE	Wide Field	0.49x - fluid filled	11.8mm48°	
		1.12x - air filled		

#### OCULAR LANDERS BICONCAVE VITRECTOMY LENS

Designed for vitreoretinal surgery in air filled phakic or pseudophakic eyes. Lens power 83D. Red infusion handle for easy identification. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.

e	$\Rightarrow$
X	Ľ

	Image	Contact	Static
Product Code	Mag.	Diameter	FOV
OBVI	.80x – air filled	9mm	24°

#### OCULAR FLAT VITRECTOMY LENS

Used to visualize structures deep in the vitreous cavity or on retinal membranes. Plano anterior surface affords a 36° static field of view of the central posterior pole and vitreous in phakic and pseudophakic eyes. Very lightweight and can be used to tilt or indent the eye during surgery. Purple infusion handle for easy identification. The OPFVI has a smaller contact diameter for pediatric patients. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.

Product Code	Image Mag.	Contact Diameter	Static FOV
OFVI	1.02x - fluid filled	10mm	36°
OPFVI	1.02x - fluid filled	7mm	36°

#### OCULAR MACHEMER MAGNIFYING VITRECTOMY LENS


High magnification for delicate macular surgery. Works with phakic, pseudophakic and aphakic patients. Blue infusion handle for easy identification. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.

30°	

	Image	Contact	Static
Product Code	Mag.	Diameter	FOV
OMVI	1.47x – fluid filled	10mm	30°

#### OCULAR PEYMAN-GREEN FLUID CELL VITRECTOMY LENS


Plano anterior surface is recessed 3mm. Balanced salt solution or methylcellulose added to the top of the lens creates a wider field of view through a meniscus lens effect. Green infusion handle for easy identification. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.



Product Code	Image	Contact	Static
	Mag.	Diameter	FOV
OPGVI	1.02x – fluid filled	12mm	36°

#### OCULAR PEYMAN III WIDE FIELD VITRECTOMY LENS

60D anterior surface for wide angle viewing in phakic and pseudophakic eyes. Allows visualization of the peripheral fundus for endo-photocoagulation in fluid or air filled vitreous. To order a replacement Luer Tube Assembly order the OLTA, see accessory section.



Product Code	Image	Contact	Static
	Mag.	Diameter	FOV
OPVI-3	0.49x – fluid filled 1.12x – air filled	12mm 12mm	48°

Journal Reference: Canadian Journal of Ophthalmology, June 1988

#### OCULAR PEYMAN PEDIATRIC WIDE FIELD VITRECTOMY LENS

A two-piece lens designed for clinical situations where autoclaving is the primary method used for sterilization. Excellent for panoramic viewing of the far peripheral retina for both premature infants and adult patients. Designed to reduce image cropping from lens tilt on the eye. Indirect image - best used with image inverter.

	Gonio		Static
Product Code	Mag.	Diameter	FOV
OPPWV	.50x	7mm	94°

Journal reference: American Journal of Ophthalmology, pp. 236-237, February 2003.

#### LENSES ON THIS PAGE USE CLEANING METHOD 3



The Ocular Double Mirror Surgical Gonio Lens is designed for easy manipulation during goniotomy and direct viewing gonioscopy procedures, including goniosynechialysis. The two mirror design redirects the oblique gonio image to the coaxial surgical position, allowing the surgeon easy 360° viewing of the anterior chamber. The central view is used to observe instruments passing across anterior chamber. 1.20x image magnification for increased detail of anterior chamber structures. The lens combines the most favorable features of traditional gonioprisms while providing a properly orientated view of the angle. Large limbal aperture to simplify surgery by improving access to clear cornea. Lens is Steam Sterilizable. Works best with coaxial light source.

Product Code	Gonio Mag.	Contact Diameter	Lens Height	Static FOV
ODMSG	1.20x	9mm	49mm	90°
*US Patent #7,419,262 B2				

#### OCULAR MORI UPRIGHT SURGICAL GONIO LENS


The Mori Upright Surgical Gonio Lens is designed for glaucoma procedures, including goniosynechialysis. The two mirror design redirects the oblique gonio image to the coaxial surgical position, allowing the surgeon easy 360° viewing of the anterior chamber. The central view is used to observe instruments passing across anterior chamber. The lens combines the most favorable features of traditional gonioprisms while providing a properly orientated view of the angle. Large limbal aperture to simplify surgery by improving access to clear cornea.

	Gonio	Contact	Lens	Static
Product Code	Mag	Diameter	Height	FOV
OMUSG	.80x	11.5mm	21.5mm	110°

Journal Reference: AJO, Vol. 143, No. 1, pp. 154-155, January 2007




INSTRUMENT




All glass design features a magnified view of the anterior chamber angle. A unique optical design corrects for corneal astigmatism for the highest detailed image. Large viewing mirror provides a very wide field of view. Ample access to the cornea. Steam sterilizable. Also available with a handle.

	Image	Gonio	Contact	Handle
Product Code	Mag.	FOV	Diameter	Length
OASG	1.50x	90°	10mm	NA
OASG-H (w/handle)	1.50x	90°	10mm	72mm



OMUSG USES CLEANING METHOD 1; ALL OTHER PRODUCTS ON THIS PAGE USE CLEANING METHOD 3



#### OCULAR RITCH PANORAMIC SURGICAL GONIOPRISM

The Ritch Panoramic Gonioprism is a glass lens designed for easy manipulation during goniotomy and direct viewing gonioscopy. The unique design leaves half the cornea closest to the surgeon exposed for use of instruments, incisions, and corneal retraction sutures. The lens provides 160° direct view of the angle. 180° can be seen with minimal rotation of the lens. The lens is steam sterilizable.

Product Code	Gonio	Contact	Handle	Static
	Mag	Diameter	Length	FOV
ORPSG	.73x	10.8mm	77.5mm	160°

#### OCULAR SWAN JACOB AUTOCLAVABLE GONIOPRISM

Designed for direct viewing gonioscopy and goniotomy. Small size makes this lens useful for adult and pediatric postoperative gonioscopy. Anodized aluminum handle for easy manipulation. Glass design allows steam sterilization.

Product Code	Gonio	Contact	Handle
	Mag	Diameter	Length
OSJAG	1.20x	9.5mm	77.5mm

#### **OCULAR HILL SURGICAL GONIOPRISM**

Designed for easy manipulation during goniotomy procedures and direct viewing gonioscopy procedures. An extended flange helps to fixate the globe during surgical procedures. Wide field of view lens provides a clear view of anterior chamber and anterior chamber angle during implantation and goniotomy procedures. Available in both left hand and right hand versions.

× ×	
(internet in the second	
J	

	Gonio	Contact	Static
Product Code	Mag.	Diameter	FOV
OHSG-LH	1.20x	9mm	90°
OHSG-RH	1.20x	9mm	90°

#### **OCULAR KHAW SURGICAL GONIOPRISM**

Creates a bright, clear image of the anterior chamber angle for goniotomy and intra-operative gonioscopy. This unique design features a fixation ring and handle to provide stabilization and easy manipulation of the globe.

	Image	Contact	Handle
Product Code	Mag	Diameter	Length
OKSG	1.40x	11.5mm	88.5mm



OKSG USE CLEANING METHOD 1; ALL OTHER PRODUCTS ON THIS PAGE USE CLEANING METHOD 3



Designed for transverse goniotomy surgery with the operating microscope, but can also be used as a diagnostic lens. The infant lens is oval and conical in shape, with a 10mm diameter magnified view of the anterior chamber and anterior chamber angle. The premature infant lens is the same in shape and design except the dimension are 1mm smaller for premature infant surgery. An adult size of 11.5mm diameter is also available.

Product Code	Style	Size	Gonio mag
OHBG-1	Infant	10mm	1.30x
OHBG-2	Premature Infant	9mm	1.30x
OHBG-3	Adult	11.5mm	1.30x

#### **OCULAR WELLS SUTURE MANIPULATOR LENS**

Lens was designed with a manipulating pin to adjust sclera flap sutures via the conjunctiva, after trabeculectomy procedures. The 1.29x magnification allows clear visualization of sutures and manipulating pin. The pin tip is smooth on all surfaces so that the conjunctiva is not damaged. Pin is tilted 10° towards center of lens to assist in engaging suture. This lens provides a more controlled alternative to laser suture lysis.

	Image	Contact	Lens
Product Code	Mag	Diameter	Height
OWSM	1.29x	5mm	22mm

# OCULAR LANDERS WIDE FIELD TEMPORARY KERATOPROSTHESIS

A 32D convex anterior surface facilitates viewing of the peripheral retina and posterior pole. 6 suture holes around the peripheral edge of the lens. Sutures hold keratoprosthesis in place and seal the eye for closed system vitrectomy. Two sizes for 7.0 or 8.0 trephination sizes. Lens stem inserts to a depth of approximately 1.2mm below corneal surface. Vitrectomy lenses may be placed on top of the keratoprosthesis to alter magnification or field of view.

Product Code	Image Mag.	Contact Diam	Static FOV	
OLTK-7.2	2.29x	7.2mm	28°	
OLTK-8.2	2.29x	8.2mm	30°	

Journal Reference: American Jou

American Journal of Ophthalmology, Vol. 122, No. 4, pp. 579-580, 1996 Ophthalmology, Vol. 102, No. 12, pp. 1932-1935, December 1995

\* The Landers Wide Field Temporary Keratoprosthesis is not CE certified.

#### OCULAR COBO TEMPORARY KERATOPROSTHESIS

The Cobo Temporary Keratoprosthesis is a truncated cone made of quartz and is autoclavable. Built into the keratoprosthesis is a superior groove that allows for suture fixation to the globe. The stainless steel infusion handle is used for injection of either fluid or gas for internal tamponade in the event of intraoperative hemorrhage or serious choroidal hemorrhage. The clear plano anterior surface allows intraoperative visualization of the posterior pole.

Product Code	Contact Diam	Handle Length
OCTK-6.5	6.5mm	40mm

\* The Cobo Temporary Keratoprosthesis is not CE certified.

OCTK-6.5 USE CLEANING METHOD 3; ALL OTHER PRODUCTS ON THIS PAGE USE CLEANING METHOD 1



#### **OSHER SURGICAL VIEWING KIT**

An ideal combination of lenses to have on hand during cataract surgery. The Osher Surgical Gonio Posterior Pole Lens (OOSGP) gives an easy 360° view of the anterior chamber angle and a magnified view of the posterior pole. The Osher MaxField 78D Lens (OI-78M) allows a wide field, non-contact view of the retina with minimal adjustment of the surgical microscope.

Product Code OSVK



#### **OCULAR OSHER SURGICAL GONIO POSTERIOR POLE LENS**

Two 60° gonioscopy mirrors. Posterior pole view through the center of lens. Handle design allows easy lens rotation for 360° anterior chamber angle viewing. Steam autoclavable for rapid surgical preparation. Retina image mag 1.02x.

	Gonio	Contact	Static
Product Code	Mag.	Diameter	FOV
OOSGP	.84x	14mm	38°



#### OCULAR OSHER MAXFIELD° 78D

Formerly called the Osher Panfundus Lens. 78D high refractive index glass lens gives wider field than a traditional 78. Very high resolution and wide field for slit lamp fundus examination. Unique design minimizes reflections. Works very well with surgical microscope. Available with red, blue, green, gold, purple, or traditional black holding ring. Now available with our new Laserlight<sup>\*</sup> HD anti-reflective coating. See coatings and materials (page 66 ) for more details.

Product Code	0	Laser Spot Mag.		1	0		Lens Weight
0I-78M	.77x	1.30x	98°	155°	7mm	27mm	21g


Osher Kit Lenses Also Available Separately

OOSGP USES CLEANING METHOD 3 OI-78M USES CLEANING METHOD 2 SLO LENSES



#### **OCULAR STAURENGHI 230 SLO RETINA LENS**

Intended for use in conjunction with a confocal scanning laser ophthalmoscope (SLO) to visualize structures of the retina and ocular fundus. It is optimized for use in obtaining high-resolution wide field fluorescein and indocyanine green angiography images. Effective in obtaining fundus reflectance images with green and infrared light. Beneficial for diagnosis of diabetic retinopathy, peripheral retinal disorders such as hereditary chorioretinal disorders, inflammatory diseases, and to document retinoschisis and retinal detachment.



Staurenghi SLO 13mm Diameter Lens. Excellent for pediatric patients and can be used as a research lens for use in the small eyes of laboratory animals.

D 1 . C 1	Contact	Static	Image
Product Code	Diameter	FOV	Magnification
OSR230	19mm	150°	.23x
OSR230-13	13mm	150°	.23x


Journal reference: Arch Opthalmol, Vol. 123, pp. 244-252, February 2005.



#### **OCULAR LEE-MAINSTER SLO LENS**

The Ocular Lee-Mainster SLO Lens doubles the field of view of the Heidelberg Engineering HRA2 (30° setting gives 60° field of view). Instantaneous wide field of view imaging for peripheral dynamic angiography. Specially coated optics to reduce reflections and provide enhanced image contrast during fluorescein and indocyanine green angiography. Provides wide angle infrared images. Non-contact for ease and comfort of the patient.

Product Code	Image Mag
OSLO60-2	.50x



TONOMETERS

#### OCULAR BARRAQUER OPERATING ROOM TONOMETERS



Barraquer Tonometers are based on Maklakov's principle of applanation tonometry. By direct corneal contact, the meniscus ring can be compared to estimate intraocular pressure.

#### OCULAR BARRAQUER 10-15 AND 15-21

Featuring the Terry dual calibration scale. Useful for many surgical applications. Two pressure ranges, 10-15mm Hg or 15-21mm Hg. The 15-21 is an excellent tool for vitreoretinal surgery during gas-fluid exchange.

Product Code	Contact Diam.	Lens Height
OBT-TC-10-15	10mm	23.5mm
OBT-TC-15-21	10mm	23.5mm

#### **OCULAR KASABY BARRAQUER 20-30MM HG TONOMETER**

Two reticle ring diameters are calibrated to 20mm Hg and 30mm Hg. Valuable tonometer for comparing post cataract surgery intraocular pressure. Tonometer is made of durable clear acrylic. Can be flash steam autoclaved.

Product Code	Contact Diam.	Lens Height
OKBT-20-30	10.5mm	32.5mm

Journal Reference: Journal of Cataract & Refractive Surgery, Vol. 34, No. 2, pp. 258-261, February 2008

#### **OCULAR GRIFFIN BARRAQUER 30-50MM HG TONOMETER**

Two reticle ring diameters are calibrated to 30mm Hg and 50mm Hg. Valuable tonometer for use during Descemet's stripping automated endothelial keratoplasty (DSAEK) procedure. Tonometer is made of durable clear acrylic. Can be flash steam autoclaved.

Product Code	Contact Diam.	Lens Height
OGBT-30-50	10.5mm	32.5mm



#### **OCULAR BARRAQUER 65**

65mm Hg calibration scale estimates the intraocular pressure when performing LASIK.

Product Code	Contact Diam.	Lens Height
OBT-65	10mm	47mm

#### OCULAR TONOMETERS USE CLEANING METHOD 4




Approximates pressures ranging from 65-90mm Hg when performing LASIK. Two engraved ring reticles on the endpoint indicate a predetermined intraocular pressure of 65mm Hg or 90mm Hg. The smaller ring is 90mm Hg.

Product Code	Contact Diam.	Lens Height
OBT-65-90	8mm	72mm

#### **OCULAR BARRON BARRAQUER 65-90**

Two engraved ring reticles on the endpoint indicate a predetermined intraocular pressure of 65mm Hg or 90mm Hg. The smaller ring is 90mm Hg. The tonometer is 2.76 inches long and designed to be used with the Barron microkeratome. The 8mm contact tip is useful with small internal diameter microkeratomes.

Product Code	Contact Diam.	Lens Height
OBBT	8mm	67mm



90mm Hg calibration scale estimates the intraocular pressure when performing LASIK. Compact design provides maximum working distance between tonometer and microscope.

Product CodeContact Diam.Lens HeightOBVT8mm56mm

# **OCULAR BARRAQUER TONOMETER SILICONE RING** (ACCESSORY FOR THE TONOMETERS ABOVE)

Replacement silicone ring, sold in a package of 5.

Product Code



#### **OCULAR 2MM FUNDUS LASER LENS**

Provides clear visualization of the ocular fundus and posterior pole. Conical shaped contact design for ease of use. AR coated plano anterior surface helps to reduce reflections and enhance the view. Ergonomic handle design for ease of manipulation. Designed for mice.

Í

	Contact	Lens	Handle
Product Code	Diameter	Height	Length
OFA2.0	2mm	6.7mm	79mm

#### OCULAR FUNDUS 5.4 LASER LENS

Provides clear visualization of the ocular fundus and posterior pole. Plano anterior surface. Designed for rats.

Product Code	Contact	Lens	Handle
	Diameter	Height	Length
OFA5.4	5.4mm	5.9mm	79mm

#### OCULAR 2MM GONIOPRISM LENS

Allows non-invasive visualization of the structures of the anterior chamber angle, including Schlemm's canal, trabecular meshwork, iris and anterior surface of the peripheral ciliary body. Designed for mice and rats but can be used to examine other animals. Excellent for goniophotography. High quality magnified views of the optic nerve, retinal vessels and posterior retina are easily obtained. Also available with a handle.

Product Code	Contact Diameter		Handle Length
OGP2	2mm	8.6mm	NA
OGP2H	2mm	8.6mm	79mm
lournal Reference	Reference: Molecular Vision 2000, Vol. 8, pp. 26-31, February 2002		


#### **OCULAR KAUFMAN LASER LENS**


Designed for visualization and laser procedures of the retina in all species of monkey. Single mirror lens is set at 64°. Two mirror lens has mirrors set at 67° and 76°. Ocular's Laserlight<sup>\*</sup> high efficiency, broad band, anti-reflective coating provides optimal image contrast, minimizes bothersome reflections and maximizes visible near infrared (IR) laser transmission.

Product Code	Contact Diameter	Lens Height
OK2MA	13mm	19.5mm
OKSMA	13mm	19.5mm

# BELLEVUE, WA. LE

#### OCULAR RESEARCH LENSES USE CLEANING METHOD 1





## EDUCATIONAL AIDES



#### **OCULAR IMAGING EYE MODEL**

The most realistic eye model available for Ocular fundus imaging. The unique design incorporates an anterior chamber, crystalline lens, and fundus. Model provides superior demonstration and training of common ophthalmic imaging devices. This eye model incorporates many useful features not available in other eye models, including a retinal detachment showing an elevated retina, a foreign body, optic disc, and blood vessels. In addition, fluorescent features within the eye allow simulated fluorescein imaging. A line at the 180° meridian designates the region of the equator. A peg on the bottom of the model fits into the Ocular Eye Model Bracket (OEMB1) which can be attached to the vertical post of the slit lamp chin rest. It is recommended to purchase the refill kit (OEMI-KIT) with the Imaging Eye Model.

 Product Code
 Style

 OEMI-7
 7mm Imaging Eye Model



#### OCULAR IMAGING EYE MODEL REFILL KIT

Replacement fill kit for the Imaging Eye Model (OEMI-7). Includes 3cc syringe, 21 gauge blunt needle, 1/16 hex key, set screw and bottle of water. It is recommend to purchase the Replacement Refill Kit with the Ocular Imaging Eye Model (OEMI-7).

Product Code



#### **OCULAR EYE MODEL BRACKET**

Designed with a position-adjustable post used to attach the eye model to the vertical post of the slit lamp chin rest.

Product Code OEMB1



#### **OCULAR TABLE TOP EYE MODEL HOLDER**

Holds eye model at 52° angle while allowing free rotation of the eye model. Particularly useful for teaching the use of the binocular indirect ophthalmoscope. For use with OEMF (Discontinued).

Product Code OEMB2 CASES

#### **OCULAR MULTI-LENS CASES**

Walnut lens cases built to your specification. Contact our Customer Service department for a custom lens case order form.



#### OCULAR INDIRECT STERILIZING TRAY

Sterilizing tray for Ocular Indirect Ophthalmoscopy lenses. It makes ethylene oxide and cold sterilization of lenses quick and easy. This stackable, durable tray gently holds lenses to protect them during sterilization.

Product Code

OI-ST



#### **OCULAR STERILIZATION/DISINFECTION LENS CASES**

Sterilization/disinfection cases for Ocular lenses. An excellent choice for the autoclave. Also makes ethylene oxide and cold sterilization of lenses quick and easy. Several sizes available.

Style
2 Lens
10 Lens
10 Lens
AC, (O4MAC, O4MAC-LR)
6" x 2.5" x .75"
6" x 2.5" x 1.25"
2.65" x 1.54" x 1.75"
6" x 10" x 1.5"



#### **OCULAR SURGICAL VIEWING SYSTEM CASES**

Custom cut foam liner in a heavyweight black plastic case for transport and storage of Ocular Wide Angle Surgical Systems.

#### Product Code OIVS-C

OSVS-C

LENS ACCESSORIES





#### OCULAR LENS CLEANING CLOTH

Light, dry-wipe, silky smooth microfiber cloth with Ocular logo imprint. Vinyl carrying case included. Autoclavable lens cleaning cloth also available.

#### Product Code

OLCC OLCCA Blue, Traditional White, Autoclavable



#### **OCULAR GONIOSCOPIC SOLUTION HOLDER**

Designed to hold an inverted gonioscopic solution container to minimize air bubbles. Made of heavy PMMA.

Product Code OGSH



#### OCULAR MAXAC° (AUTOCLAVABLE) LENS STAND

The lens stand minimizes water spots from the autoclave. Use during sterilization to hold the lens or lens sterilization case on edge.

Product Code OI-LSA



#### **OCULAR THREE MIRROR LENS FLANGE**

Flange designed to be installed on glass Ocular Autoclavable Three Mirror Lens (OG3MAC-10) and Ocular High Definition Three Mirror Lens (OG3MHD-10). Flange made of durable medical polymer, will not break during normal handling and use. Eliminates the need to purchase additional lenses with dedicated flanges. Flange cover is easily removed from the autoclavable glass lens for cleaning and sterilization. Compatible with most common disinfection and sterilization methods including steam sterilization.

Product Code	Flange Diameter
OACF-15	15mm
OACF-17	17mm



#### **OCULAR FOUR MIRROR LENS FLANGE**

Flange designed to be installed on the glass Ocular MaxField<sup>\*</sup> Autoclavable Four Mirror Gonio Lens (O4MAC, O4MAC-1X, O4MAC-LR, O4MAC-1X-LR), and the Ocular Gaasterland Four Mirror Gonio Lens (OG4MG, OG4MG-1X, OG4MG-LR, OG4MG-1X-LR). Flange made of durable medical polymer, will not break during normal handling and use. Eliminates the need to purchase additional lenses with dedicated flanges. Flange cover is easily removed from the lens for cleaning and sterilization. Compatible with most common disinfection and sterilization methods including steam sterilization.

	Flange
Product Code	Diameter
OACF4-15	15mm
OACF4-17	17mm



#### **OCULAR KAPETANSKY WATER BATH**

Designed for ultrasound biomicroscopy, the saddle shape of the cup makes an ideal fit for the anterior sclera and thereby minimizes the loss of saline solution. The design makes it easier to install and more comfortable for the patient as compared to other currently used eye cups. In addition, the fluid reservoir attached to the top of the cup provides a depth of saline which is more than adequate for the ultrasonic probe to function properly. Steam Autoclavable.

Product Code OKWB21



#### **OCULAR LENS PROTECTION RINGS**

Lens protection rings slip over the top of lenses to guard against accidental scratches. Knurled edges provide a secure gripping surface.

Product Code	Style
OLPR-L	Large Lens
OLPR-M	Medium Lens
OLPR-RIT	Ritch Trabeculoplasty
OLPR-S	Small Lens
OLPR-SUS	Sussman
OLPR-SUS-2	Sussman Large Ring

#### **OCULAR LUER TUBE ASSEMBLY**

Replacement Luer Tube Assembly for the vitrectomy infusion handled lenses.

Product Code	Style
OLTA	Replacement part for OBVI, OFVI, OPFVI, OMVI, OPGVI, OPVI-3. OI V-1-IN. OI V-1-IR
OLTA-2	Replacement part for OHBVE, OHFVE, OHMVE, OHWVE

# CLEANING METHODS

	CLEAN	ING	DISINFECTION			STERILI	ZATION		
DEVICES	MILD SOAP	ALCOHOL WIPE	DISINFECTION	EO	FLASH AUTOCLAVE (UN-WRAPPED STEAM)	STEAM AUTOCLAVE	ASP STERRAD	STERIS SYSTEM 1E	3M OPTREOZ
<b>CLEANING METHOD 1</b> All Ocular Laser and Diagnostic Lenses and OKSG, OLIV-EQNA, OLIV-WFNA, OLTK-7.2, OLTK-8.2, OMUSG, OTSG, OUV-132-2, OWIV-HMNA	Х		Х	Х				Х	Х
Note: OMRA-HM and OMRA-HM-2 ar	e not compatible	with Steris Sy	vstem 1E						
<b><u>CLEANING METHOD 2</u></b> All Ocular MaxField <sup>*</sup> Glass Indirect Diagnostic/Laser Lenses	Х	Х	Х	Х	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Х	X	Х
CLEANING METHOD 2 All Ocular MaxLight <sup>®</sup> CR-39 Indirect Diagnostic/Laser Lenses	Х	Х	Х	Х			0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Х
		*			R	*			
<b>CLEANING METHOD 3</b> All Ocular Surgical Lenses and Rings and Ol-20A, Ol-28A, O4MAC, O4MAC-15, O4MAC-17, O4MAC-1X, O4MAC-1X-15, O4MAC-1X-17, O4MAC-1X, O4MAC-1X-H, O4MAC-LR, O4MAC-LR-15, O4MAC- LR-17, O4MAC-1X-LR, O4MAC-1X- LR-15, O4MAC-1X-LR-17, OG3MAC-10, OG3MAC-15, OG3MAC-17	X		Х	X	X	X	X	Х	Х
Note: For products with lumens please c	onsult the sterili	zation manufa	cturer for compatibility.		<u>.</u>		<u>.</u>		
<u>CLEANING METHOD 4</u> All Ocular Tonometers	Х		Х	Х	X	Х	0 0 0 0 0 0	Х	Х

This chart is for general information only. Please see the Ocular Instruments Product Care Instructions which came with your product or are located on our website at www.ocularinc. com for specific product care instructions.

## CLEANING - MILD SOAP

Rinse:	Immediately upon removal from patient's eye, thoroughly rinse in cool or tepid water to avoid soil drying on surfaces or lumens.
Wash:	Place a few drops of low foaming mild soap (i.e., neutral pH (7.0) detergent formulated for medical instruments) on a moistened cotton ball. Gently clean with a circular motion until all soil has been removed. Flush all lumens with detergent solution to remove soil.
Rinse:	Thoroughly rinse lens and flush lumens in cool or tepid high purity water, then dry carefully with a non- linting tissue or hospital grade compressed air.
Inspect:	Visually inspect all surfaces, crevices, joints, holes and lumens for complete removal of soil and fluid. If any soil or fluid is visible, then repeat cleaning.
Caution:	If fluid/gas exchange has occurred, wipe lens with alcohol to remove any trace of oil present. If lens is not promptly and properly cleaned, permanent damage may result.
	CLEANING - ALCOHOL WIPE
Wipe:	Clean with alcohol wipe.
Then:	Proceed with either disinfection or sterilization instructions.
Caution:	If fluid/gas exchange has occurred, wipe lens with alcohol to remove any trace of oil present. If lens is not promptly and properly cleaned, permanent damage may result.
	DISINFECTION
	DISINFECTION Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens.
	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark…) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete
Caution:	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens. After manual high level disinfection, soak and rinse lens in large volume of cool or tepid sterile water for 1 minute and thoroughly flush lumens. Repeat this procedure 2 times with fresh rinse water to ensure removal
Caution: Caution:	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens. After manual high level disinfection, soak and rinse lens in large volume of cool or tepid sterile water for 1 minute and thoroughly flush lumens. Repeat this procedure 2 times with fresh rinse water to ensure removal of disinfection solution.
	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens. After manual high level disinfection, soak and rinse lens in large volume of cool or tepid sterile water for 1 minute and thoroughly flush lumens. Repeat this procedure 2 times with fresh rinse water to ensure removal of disinfection solution. To avoid damage to the lens, do not exceed recommended exposure time. If used on an ulcerated cornea, lens must be STERILIZED before next procedure.
	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens. After manual high level disinfection, soak and rinse lens in large volume of cool or tepid sterile water for 1 minute and thoroughly flush lumens. Repeat this procedure 2 times with fresh rinse water to ensure removal of disinfection solution. To avoid damage to the lens, do not exceed recommended exposure time.
	Disinfectant solutions (e.g., Approved by FDA, DGHM, CE Mark) may be used in accordance with label instructions of the disinfectant manufacturer. Pay strict attention to disinfectant manufacturers recommended concentrations and contact durations. Ensure that disinfectant solution makes complete contact with all device surfaces and lumens. After manual high level disinfection, soak and rinse lens in large volume of cool or tepid sterile water for 1 minute and thoroughly flush lumens. Repeat this procedure 2 times with fresh rinse water to ensure removal of disinfection solution. To avoid damage to the lens, do not exceed recommended exposure time. If used on an ulcerated cornea, lens must be STERILIZED before next procedure. STERILIZATION Please see the Ocular Instruments Product Care Instructions which came with your product or are located on

processing equipment or the manufacturer for compatibility claims. All cleaning and sterilization processes require validation at the point of use.

#### LASERLIGHT<sup>°</sup> ANTI-REFLECTIVE COATINGS

## OCULAR INSTRUMENTS RECOMMENDS YOU ORDER LENSES WITH ANTI-REFLECTIVE COATING FOR ALL YOUR DIAGNOSTIC PROCEDURES.

The Laserlight<sup>\*</sup> anti-reflective coatings provided with our indirect and laser lenses minimize reflection and maximize image brightness. The unique hydrophobic properties make Laserlight<sup>\*</sup> coated lenses very easy to clean. Each coating type provides low reflectivity and high transmittance for the entire visible spectrum. Additionally, for non-visible lasers such as Nd:YAG lasers, the coating design has been enhanced for low reflectivity at the specific laser wavelength. In other words, Ocular YAG Lenses are compatible with visible and diode lasers, but Ocular Argon/Diode Lenses are not recommended for use with Nd:YAG lasers.

#### LASERLIGHT<sup>°</sup> HD ANTI-REFLECTIVE COATING

The new Laserlight<sup>\*</sup> HD anti-reflective coating was specially designed to minimize reflection on high index lenses. The high definition images that can be achieved with this coating are ideal for digital imaging applications. Reflections are reduced 50-80% compared with traditional coatings. Laserlight<sup>\*</sup> HD significantly increases image brightness and maximizes laser efficiency. Laserlight<sup>\*</sup> HD has a more spectrally neutral reflection and yields a more natural image color palette. It surpasses MIL-C-48497 standard for coating durability and is highly scratch resistant.

#### CONSIDER SOME OF THE BENEFITS OF ANTI-REFLECTIVE COATINGS...

Minimum reflection and enhanced image quality are essential considerations for slit lamp examinations. Many eye doctors are converting to exclusive use of laser lenses for diagnostic use because of significantly greater image clarity and resolution. For laser application, transmission of the treatment beam is maximized. This is important for optimizing the interaction of the laser energy with the target tissue. Reflectance of the aiming beam and slit lamp source is minimized. Although there is certainly a safety factor added by reducing these reflections, the primary benefit is an increase in image contrast and resolution of the treatment area.

#### LENS MATERIALS

#### **OPTICAL COMPONENTS**

All Ocular Instruments lenses are designed and manufactured using the finest grade optical polymers and glasses. Materials are chosen that best meet the performance requirements of each design. Total system design encompasses the primary requirements of optical image quality, sterilization method, durability and the essential elements of ergonomics, weight, and cost.

#### LATEX FREE PRODUCTS

Ocular Instruments products do not contain latex.

#### G U A R A N T E E

At Ocular Instruments, we take great pride in our reputation for manufacturing the world's highest quality ophthalmoscopic lenses. If, for any reason, an Ocular Instruments product does not meet your requirements or expectations, you may return it to us within 30 days of purchase for a full refund. Please contact Customer Service for a return authorization number.

All Ocular Instruments products are unconditionally guaranteed against defects in materials and workmanship within 1 year of the invoice date.

#### 🚦 O R D E R S

Please contact your authorized Ocular Instruments distributor or contact us directly via mail, telephone, fax, email, or our web site. State complete description and product code. Please provide complete Shipping and Billing addresses with your order.

#### PAYMENT TERMS

Visa, Mastercard and American Express accepted. Net 30 days upon credit approval.

#### SHIPMENT OF GOODS

Shipment of products is made by FedEx, air freight or USPS; F.O.B. shipping point. Bank fees, insurance and documentation charges are added when applicable. If shipment is prepaid, all costs are added to the invoice. All standard orders will be shipped within 5 business days unless notified otherwise.

#### RETURN GOODS POLICY

Merchandise is returnable for credit only with prior authorization from Ocular Instruments. It is recommended that all shipments to Ocular Instruments be made via FedEx, prepaid and insured for full value. Please clean and disinfect all products prior to returning. If returning lens from outside the U.S., please ensure all applicable duties and taxes fees are paid by the sender. Ocular Instruments is not responsible for incoming duties and taxes.

#### REPAIR SERVICE

We offer full service repair for all of our products. We will inspect each item to determine if it is repairable. "Repairable" means that we can restore the product to a safe and effective condition in accordance with our quality system. If your product is repairable, we will provide a price quotation for your approval prior to performing the repair. In most cases, a repaired product will be restored to almost new condition. In order to expedite the repair process, please contact Customer Service for a return authorization number.

# ALPHABETICAL INDEX

	ALPHABEIICAL I	NDEX			OCULAR® INSTR POSNER GOW	PRISU	
	DESCRIPTION	CODE	PAGE		DESCRIPTION	CODE	PAGE
A	Abraham Capsulotomy Abraham Iridectomy Abraham Iridectomy YAG Ahmed 1.5x Surgical Gonio Ahmed 1.5x Surgical Gonio (w/handle) Autoclavable Case Autoclavable Case, 10 Lens Autoclavable Case, 10 Lens HRI Autoclavable Case, 2 Lens Autoclavable Case, 8 Lens Autoclavable Three Mirror Diag Autoclavable Three Mirror Diag Autoclavable Three Mirror Diag	OAYA OAIA OAIY OASG OASG-H OLV-C4 OLV-C3 OLV-C3-HRI OLV-C2 OLV-C OG3MAC-10 OG3MAC-15 OG3MAC-17	$     \begin{array}{r}       16 \\       10 \\       16 \\       51 \\       51 \\       60 \\       60 \\       60 \\       60 \\       25 \\$	G	Gaasterland 4 Mirror Gonio Diag Gaasterland 4 Mirror Gonio Diag	OG4MG OG4MG-15 OG4MG-17 OG4MG-17 OG4MG-1X-0 OG4MG-1X-15 OG4MG-1X-17 OG4MG-1X-LR-15 OG4MG-1X-LR-17 OG4MG-1X-LR-17 OG4MG-1X-H OG4MG-LR-15	22 22 22 22 22 22 22 22 22 22 22 22 22
В	Barraquer (ECP) Tonometer Barraquer (Phaco & SLIP) Tonometer Barraquer 65mm Hg Tonometer Barraquer 65/90mm Hg Tonometer Barraquer Tonometer Silicone Ring Barraquer Varley 90mm Hg Tonometer Barron Barraquer 65/90mm Hg Tonometer	OBT-TC-10-15 OBT-TC-15-21 OBT-65 OBT-65-90 OBT-0 OBVT OBBT	56 56 57 57 57 57 57 57		Gaasterland 4 Mirror Gonio Diag Goniometric Magna View Goniometric Magna View (flange) Gonioscopic Solution Holder Grid, Saxena Retinal 428 Grid, Saxena Retinal 520 Griffin Barraquer 30-50mm HG Tonometer	OG4MG-LR-17 OMVG200 OMVGF200 OGSH OI-SRG428 OI-SRG520 OGBT-30-50	22 13 13 61 33 33 56
С	Carrying Case, IVS Carrying Case, SVS Case, Autoclavable, 2 Lens Case, Autoclavable, 8 Lens Case, Autoclavable, 10 Lens Case, Autoclavable, 10 Lens HRI Case, Autoclavable, 10 Lens HRI Case, Autoclavable, 6" x 2.5" x 0.75" Case, Autoclavable, 6" x 2.5" x 1.25" Case, Autoclavable, 6" x 2.5" x 1.54" Case, Autoclavable, 2.65" x 1.54" x 1.75" Case, Autoclavable, 6" x 10" x 1.5" Cleaning Cloth, Lens Cleaning Cloth, Lens Cleaning Cloth, Lens Cleaning Cloth, Lens Cleaning Cloth, Lens Cleaning State Correct System, Reichel Viscous	OIVS-C OSVS-C OLV-C2 OLV-C3 OLV-C3-HRI OLV-C4 OLV-C5 OLV-C6 OLV-C7 OLV-C8 OLCC OLCCA OCTK-6.5 ORVCS	60 60 60 60 60 60 60 60 60 60 60 61 61 53 47	H	Handle, Wide Angle Vitr Lens Hexagonal Biconcave Vitr Lens Hexagonal Flat Vitr Lens Hexagonal Magnifying Vitr Lens Hexagonal Wide Field Vitr Lens High Definition Three Mirror High Definition Three Mirror High Definition Three Mirror Hill Surgical Gonioprism, Left Hand Hill Surgical Gonioprism, Right Hand Holder, OIV-132 Lens Holder, OUV-132-2 Lens Hoskins-Barkan Goniotomy Lens Hoskins-Barkan Goniotomy Lens Hoskins-Barkan Goniotomy Lens Hoskins-Barkan Goniotomy Lens Hoskins Nylon Suture	OLIV-H OHBVE OHFVE OHWVE OG3MHD-10 OG3MHD-15 OG3MHD-17 OHSG-LH OHSG-RH OIV-H132 OUV-H132-2 OHBG-1 OHBG-2 OHBG-3 OHSA	39 49 49 49 11, 25 11, 25 52 52 43 43 53 53 53 15
D	Disposable, 30° Prism Vitr Disposable, Biconcave Vitr Disposable, Flat Vitr Disposable, Magnifying Vitr Disposable, Wide Field Vitr Double Mirror Surgical Gonio Lens	ODV3P ODVB ODVF ODVM ODVW ODMSG	46 46 46 46 46 51	Ι	Hwang-Latina 5.0 SLT Lens Hwang-Latina 5.0 SLT Lens (flange) Indirect Lens Sterilizing Tray Indirect Vitr 132D Inverter Vitr System (Leica) Inverter Vitr System (Zeiss)	OHLSLT OHLSLTF OI-ST OIV-132 OIVSL OIVSZ	19 19 60 43 39 39
E	Eye Model Bracket Eye Model Fill Kit Eye Model, Imaging Eye Model, Table Top Eye Holder	OEMB1 OEMFK OEMI-7 OEMB2	59 59 59 59 59	K	Kapetansky Water Bath Karickhoff 21mm Vitreous Lens Karickhoff, Diag, 18mm OD Karickhoff, Diag, w/flange, 20mm OD	OKWB21 OJKY-21 OJK OJKF	62 18 24 24
F	Flat Vitr Infusion (Purple) Flat Vitr Infusion (Pediatric) Four Mirror Lens Flange (15mm) Four Mirror Lens Flange (17mm) Four Mirror Mini Gonio Diag (NMR) Four Mirror Mini Gonio Laser (NMR) Four Mirror Mini Gonio Laser (NMR) Four Mirror Mini Gonio Laser (NMR) Foxman Vitrectomy Lens Ring Fundus 5.4 Research Fundus Diag Fundus Diag (NMR-K) Fundus Laser Fundus Laser (NMR-K)	OFVI OPFVI OACF4-15 OACF4-17 O4GF O4GF-LR O4GFA-LR OFV-4 OFA5.4 OGF OGF-2 OGFA OGFA-2	49 49 62 23 23 14 14 47 58 25 25 25 9 9 9		Karickhoff, Laser, 18mm OD Karickhoff, Laser, 18mm OD Karickhoff Jaser, 18mm OD Karickhoff Off-Axis Vitreous Lens Karickhoff Off-Axis Vitreous Lens Kasaby Barraquer 20-30mm Hg Tonometer Kaufman 1M Research Kaufman 2M Research Khaw 4D 1X Direct View Gonio Khaw 4D Direct View Gonio Diag Khaw Surgical Gonioprism Koeppe, Large, 19mm Diag Koeppe, Medium, 18mm Diag Koeppe, Small, 17mm Diag	OJKA OJKFA OJKPY-30 OJKPY-25 OKBT-20-30 OKSMA OK2MA OK4DG-1X OK4DG OKSG OKL OKM OKS	10 10 18 56 58 58 22 22 52 26 26 26 26

I

# ALPHABETICAL INDEX

				A NA	7	OCULAR® INSTR POSNER GO	IOPRISU	
	DESCRIPTION	CODE PA	AGE	6.	DE	SCRIPTION	CODE P	AGE
L	Landers Biconcave Lens 83D Landers Biconcave Vitr Infusion (Red) Landers Four Post Vitr Lens Ring Landers 50° Prism Landers Equatorial II Vitr Landers HRI 20° Prism Vitr Landers HRI 30° Prism Vitr Landers HRI 30° Prism Vitr Landers HRI Magnifying Vitr Landers HRI Witr Lens Set Landers HRI Witr Lens Set Landers HRI Wite Field Vitr Landers Irrigating Notched Vitr Lens Ring Landers Irrigating Vitr Lens Ring Landers Lens Forceps Landers NA Equatorial Vitr Landers NA Equatorial Vitr Landers NA December Landers NA Equatorial Vitr Landers NA Equatorial Vitr Landers Occluder Landers ROP Lens Attachment Landers Silicone Vitr Lens Ring Landers Vitr Lens Ring Landers Vitr Lens Ring Landers Vitr Lens Ring System Landers Vitr Lens Ring System Landers Wide Field Temp Keratoprosthesis Landers Wide Field Temp Keratoprosthesis Landers Wide Field Vitr Latina 5 Bar SLT Lens Latina 5 Bar SLT Lens Latina 5 Bar SLT Lens Latina 5 Bar SLT Lens Latina SLT Gonio Laser (flange) Layden Suture Lysis Lens Lee-Mainster SLO Lens Lens Cleaning Cloth Lens Cleaning Cloth Lens Protection Ring Medium Lens Protection Ring Medium Lens Protection Ring Sussman Lens Protection Ring Sussman Large	OLV-2 OBVI OLV-1-4P OLV-8 OLV-EQ-2 OLV-6-HRI OLV-2-HRI OLV-2-HRI OLV-2-HRI OLV-3-HRI OLV-3-HRI OLV-1-IN OLV-1-IN OLV-1-IN OLV-1-IN OLV-1-IN OLV-FCP OLIV-EQNA OLV-FCP OLIV-EQNA OLV-FCP OLV-15 OLV-1-TN OLV-15 OLV-15 OLV-15 OLV-15 OLV-1-TN OLV-1 OLV-3 OLV-3 OLV-3 OLV-3 OLV-3 OLV-3 OLV-1 OLV-1 OLV-1 OLV-1 OLV-1 OLV-3 OLV-1 OLS OLTK-7 OLS OLS OLS OLS OLS OLS OLPR-L OLPR-N OLPR-S O	45 49 47 46 40 44 44 44 44 44 47 47 47 47 44, 45 41 41 44, 45 32 47 44, 45 45 45 45 45 45 45 45 45 45 45 45 45 4	М	Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma Ma M	andelkorn Iridotomy/Capsulotomy andelkorn Suture Lysis axAC* Autoclavable Lens Stand axAC* 20D Indirect axAC* 28D Indirect axAC* 28D Indirect axAC* 28D Indirect axAC* 28D Indirect axField* AC 4 Mirror Gonio Diag axField* 14D Indirect axField* 12D Indirect axField* 20D Indirect axField* 20D Indirect axField* 20D Indirect axField* 30D Indirect axField* 30D Indirect axField* 30D Indirect axField* 30D Indirect axField* 60D Indirect axField* 120D Indirect a	OMIC OMSLA OMSLA OI-LSA OI-20A OI-28A O4MAC-15 O4MAC-15 O4MAC-17 O4MAC-17 O4MAC-LR O4MAC-LR O4MAC-LR-17 O4MAC-LR-17 O4MAC-LR-17 O4MAC-1X-17 O4MAC-1X-17 O4MAC-1X-17 O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR-17 O4MAC-1X-LR-17 O4MAC-1X-LR-17 O4MAC-1X-LR O4MAC-1X-LR-17 O4MAC-1X-LR O4MAC-1X-LR-17 O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O4MAC-1X-LR O1-20M O1-20M O1-20M O1-25M O1-25M O1-25M O1-25M O1-28M O1-35M O1-35M O1-35M O1-66M O1-72M O1-72M O1-78M O1-78M O1-78M O1-5TDM O1-100M O1-120M O1-120M O1-120M O1-120M	
Μ	Luer Tube Assembly Machemer Flat Vitr Machemer Mag Vitr Infusion (Blue) Machemer Magnifying Vitr Machemer Plus Vitr Magna View Gonio Magna View Gonio (flange) Magna View Goniometric	OLTA-2 OLV-5 OMVI OLV-3 OLV-5SR OMVGL OMVGLF OMVG200	63 45 50 45 46 12 12 12 13		Ma Ma Ma Ma Ma	xLight <sup>®</sup> Standard 90 Large Ring Indirect axLight <sup>®</sup> Triple Two Panfundus axLight <sup>®</sup> 14D Indirect axLight <sup>®</sup> 14D Indirect axLight <sup>®</sup> 18D Indirect axLight <sup>®</sup> 20D Indirect axLight <sup>®</sup> 28D Indirect ori Upright Surgical Gonio Lens	t OI-STD-LR OI-222 OI-UM OI-14 OI-18 OI-20 OI-28 OMUSG	35 29 34 29 29 29 29 30 51
	Magna View Goniometric (flange) Magna View Two Mirror Gonio Magna View Two Mirror Gonio (flange) Mainster High Magnification Mainster High Magnification (NMR) Mainster PRP 165 Mainster PRP 165-2 (NMR) Mainster (Standard) Focal/Grid Mainster (Standard) Focal/Grid (NMR) Mainster Wide Field Mainster Wide Field (NMR)	OMVGF200 OMV2G OMV2GF OMRA-HM OMRA-HM-2 OMRA-PRP-165 OMRA-PRP-165-2 OMRA-S OMRA-S-2 OMRA-WF OMRA-WF-2	13 12 12 8 8 7	N O	NM 13: 13: 13: 1.5 1.5 Os Os	AR-K Single Mirror Gonio Diag AR-K Single Mirror Gonio Laser 2D Indirect Vitr Lens 2D Indirect Vitr Lens Holder 2D Upright Vitr Lens Holder X Magna View Gonio X Magna View Gonio (w/flange) her MaxField <sup>*</sup> 78D Indirect her Surgical Gonio Post Pole her Surgical Viewing Kit	OSMG-2 OSMGA-2 OIV-132 OIV-H132 OUV-H132-2 OMVGL-1.5X OMVGLF-1.5X OI-78M OOSGP OSVK	26 13 43 43 12 12 37, 54 54

# ALPHABETICAL INDEX

				4			
				1	OCULAR® INSTR POSNER GON	IN PDICI	
	DESCRIPTION	CODE	PAGE		DESCRIPTION	CODE	PAGE
Р	Parts, SVS	OSVS-xx	42	T	2mm Fundus Laser Lens	OFA2.0	 58
	PDT 1.6X	OPDT	9		2mm Gonioprism Research	OGP2	58
	PDT 1.6X (NMR)	OPDT-2	9		2mm Gonioprism Research	OGP2H	58
	Pediatric Biconcave Vitr	OPV-B	48		Tano Vitr Lens Ring	OTN-R	47
	Pediatric Flat Infusion (Purple)	OPFVI	49		Thorpe Four Mirror Gonio Diag	OT4MG	21
	Pediatric Flat Vitr	OPV-F	48		Thorpe Four Mirror Gonio Laser	OT4MGA	14
	Pediatric Lens Forceps	OPV-FCP	48		Three Mirror 10mm Gonio Diag (NMR)	OG3M-10	24
	Pediatric Lens Ring Pediatric Prism Vitr	OPV-R OPV-P	48 48		Three Mirror Diag, Autoclavable	OG3MAC-10 OG3MAC-15	25 25
	Pediatric Prism vitr Pediatric Reichel-Mainster 1X Retina	OPV-P ORMR-1X-P	48 7		Three Mirror Diag, Autoclavable Three Mirror Diag, Autoclavable	OG3MAC-15 OG3MAC-17	25
	Pediatric Vitr Lens Set	OPV-S	48		Three Mirror Diag, 13mm OD (NMR)	OG3M-13	23
	Peyman-Green Fluid Cell Vitr Infusion (Green)	OPGVI	50		Three Mirror Diag, 15mm OD	OG3MI	24
	Peyman G. Capsulotomy	OPYG-12-12	16		Three Mirror Diag, 16mm OD (NMR)	OG3M-2	24
	Peyman III Wide Field Vitr Infusion (Gold)	OPVI-3	50		Three Mirror Diag, 17mm OD	OG3MP	24
	Peyman Pediatric Wide Field	OPPWV	50		Three Mirror Diag, High Definition	OG3MHD-10	11, 25
	Peyman Wide Field Vitr	OLV-4	45		Three Mirror Diag, High Definition	OG3MHD-15	11, 25
	Peyman Wide Field YAG, 12.5mm	OPY-12.5	17		Three Mirror Diag, High Definition	OG3MHD-17	11, 25
	Peyman Wide Field YAG, 18mm	OPY-18	17		Three Mirror Diag, Short, 18mm OD	OG3MS	24
	Peyman Wide Field YAG, 25mm	OPY-25	17		Three Mirror Diag, Short, 16mm OD (NMR)	OG3MS-2	24
	Peyman-Wessels-Landers Upright 132D	OUV-132-2	43		Three Mirror Diag, Universal, 18mm OD	OG3M	24
	Pollack Iridotomy/Gonio	opig opdsg	17 21		Three Mirror Diag, w/flange, 20mm OD	OG3MF OG3MA-13	24
	Posner Diag/Gonioprism Posner Diag/Gonioprism	OPDSG-2	21		Three Mirror Laser, 13mm OD (NMR) Three Mirror Laser, 15mm OD	OG3MIA-13 OG3MIA	11 11
	Posner Diag/Gonioprism	OPDSG-3	21		Three Mirror Laser, 17mm OD	OG3MIA OG3MPA	11
	Proretina 120 PB	OPR-120	9		Three Mirror Laser, High Definition	OG3MHD-10	11, 25
	Proretina 120 PB NMR	OPR-120-2	9		Three Mirror Laser, High Definition	OG3MHD-15	11, 25
р.					Three Mirror Laser, High Definition	OG3MHD-17	11, 25
R	Reichel-Mainster 1X Retina	ORMR-1X	7		Three Mirror Laser, Short, 18mm OD	OG3MSA	11
	Reichel-Mainster 2X Retina	ORMR-2X	8		Three Mirror Laser, Universal, 18mm OD	OG3MA	11
	Reichel-Mainster 1X Retina (NMR)	ORMR-1X-2	7 8		Three Mirror Laser, w/flange, 20mm OD	OG3MFA	11
	Reichel-Mainster 2X Retina (NMR) Reichel-Mainster 1X Retina (Pediatric)	ORMR-2X-2 ORMR-1X-P	8 7		Three Mirror Laser, 16mm OD NMR	OG3MA-2	11
	Reichel Vitrectomy Lens Holder	ORVLH	, 47		Three Mirror Laser, Short, 16mm OD NMR	OG3MSA-2	11
	Reichel Viscous Contact Systems	ORVCS	47		Three Mirror Lens Flange	OACF-15	62
	Ring, Protection, Large	OLPR-L	63		Three Mirror Lens Flange	OACF-17	62
	Ring, Protection, Medium	OLPR-M	63		Tolentino 20° Prism Tolentino 30° Prism	OLV-6 OLV-7	45 45
	Ring, Protection, Ritch Trabeculoplasty	OLPR-RIT	63		Two Mirror Gonio Diag	OLV-7 O2M	45 26
	Ring, Protection, Small	OLPR-S	63		Two Mirror Gonio Diag (flange)	O2MF	26
	Ring, Protection, Sussman	OLPR-SUS	63		Two Mirror Gonio Diag (NMR-K)	O2M-2	26
	Ring, Protection, Sussman, Large	OLPR-SUS-2	63		Two Mirror Gonio Laser	O2MA	13
	Ritch Nylon Suture	ORNSA	15		Two Mirror Gonio Laser (flange)	O2MFA	13
	Ritch Panoramic Surgical Gonioprism	ORPSG	52		Two Mirror Gonio Laser (NMR)	O2MA-2	13
	Ritch Trabeculoplasty Rubber Adjustment Knob, IVS	orta oivs-k	14 39	U	Ultra View SP 132D Indirect	OI-SP	38
S	Saxena Retinal Grid 428	OI-SRG428	33	V	Vitr Lens Case, AC	OLV-C4	60
0	Saxena Retinal Grid 520	OI-SRG520	33	V	Vitr Lens Case, 2 Lens	OLV-C2	60
	Screw Driver, Slotted, IVS	OIVS-SD	39		Vitr Lens Case, 8 Lens	OLV-C	60
	Single Mirror Gonio Diag	OSMG	26		Vitr Lens Case, 10 Lens	OLV-C3	60
	Single Mirror Gonio Diag (flange)	OSMGF	26		Vitr Lens Case, 10 Lens	OLV-C3-HRI	60
	Single Mirror Gonio Diag (NMR-K)	OSMG-2	26	347	Walls Costons Maniaulaten Lana		
	Single Mirror Gonio Laser	OSMGA	13	W	Wells Suture Manipulator Lens	OWSM	53
	Single Mirror Gonio Laser (flange)	OSMGFA	13		Wide Angle Vitr Lens Handle Wise Iridotomy-Sphincterotomy	OLIV-H OWISA	39 10
	Single Mirror Gonio Laser (NMR-K)	OSMGA-2	13		Woldoff High Magnification	OWIV-HM	40
	Staurenghi 230 SLO Retina Lens	OSR230	55		Woldoff NA High Magnification	OWIV-HMNA	41
	Staurenghi 230 SLO Retina Lens, 13mm	OSR230-13	55		Woldoff Prismatic Biconcave	OLV-9	45
	Surgical Viewing System Case	OIVS-C	39, 60 42, 60	37			
	Surgical Viewing System Case	OSVS-C	42, 60 21	Y	Yannuzzi Fundus Laser	OYFA	9
	Sussman 4 Mirror Gonioscope Diag Sussman 4 Mirror Gonioscope Diag	OS4M OS4M-2	21 21				
	SVS Parts	OSVS-xx	42				
	Swan-Jacob Autoclavable Gonioprism	OSJAG	52				

## OCULAR INSTRUMENTS

CONTACT INFORMATION

#### HOW TO REACH US

Mail, Shipments, Visitors:

## **OCULAR INSTRUMENTS INC**

2255 116th Avenue NE Bellevue, WA 98004-3039 USA

## **TELEPHONE: 425-455-5200**

Toll-free USA: 800-888-6616

Fax: 425-462-6669

Email: contact@ocularinc.com

Internet: www.ocularinc.com

# Future



Ocular offers so many products because of our more than 50 year working relationship with ophthalmologists around the world. We have worked with you and your ideas to create new and innovative products to keep up with the changing needs of the industry.

We are honored by the longstanding relationships we maintain with many ophthalmologists of great prominence, whose names are associated with many ocular lenses used daily throughout the world.

Share your new product ideas with Ocular's Research and Development department. We consider it a privilege to work with you to advance the profession of ophthalmology. And who knows – your name could be the next to appear on an Ocular product!

We look forward to hearing from you. If you have a product idea, contact our R&D department: Toll-Free: (800) 888-6616



**Creating Solutions to Save Sight** 



TOLL-FREE USA (800) 888-6616 contact@ocularinc.com | ocularinc.com 2255 116" Avenue North East, Bellevue, Washington 98004-3039 USA



Octified to 2012-C Ocular Instruments



CE.