


NETWORK OF CONVENIENCE



AUTOMATED. SAFE. RELIABLE.

**** CATALOG


2022



Viewlight USA displays a new generation workstation controlled by a user friendly backlight console where all main commands are accessible, fast and comfortable to use.



Refined and Advanced **Performance**



Sophisticated Interface **Diagnostics**



Durable Ophthalmic **Instruments**



REFRACTION UNIT

PEAK










Practicle N. 2 objects storage

Illumination LED Overhead light

ConsoleDesign for Easy Access

1. Device Light Intensity Adjustment 2. Lamp Light Intensity Adjustment 3. Auxiliary ON / OFF 4. Unit ON / OFF 5. UP / DOWN Chair Movement 6. Anterior / Posterior Base Movement 7. Projector Turn ON / OFF 8. Lock / Unlock Table





may judge the abnormal condition of the eye and may give specific figures for prescriptions that subjective refractometry may not be able to offer.








Near Distance Vision

CONTROLLER MONITOR

- Monocular PD measurement
- Worldwide various chart support
- High Resolution 8" LCD display
- Embedded printer
- Help and real-time guide function
- Near-distance vision chart


- Vision chart bar Included
- LCD monitor tiliting degree 240°
- Operating test data through jog dial
- Forehead fixing dial VD control dial
- Leveler, horizontal controller
- A/S functions by USB port



√ Included with UDR-800









Multiple Function **Dials**

Fast Real-time **Results**

Embedded **Printer**

L-0189 Halogen & LED

INAMI quality ophthalmic clinical and digital slit lamps are designed to operate from basic cross angle stereo vision to galilean convergent microscope system and increased magnification levels.





LED 5 Magnification **Ratio**



Optional Accessories
Not Included




DIGITAL LENSMETER

measurements of double (triple) vision lens.









Adjustable 7" **Touch Screen**

Measurement **Interface**

Accurate Lens **Detectors**

AUTO REFRACTOR & KERATOMETER



The **URK-700A** highlights the benefits of a 7" touch screen monitor, followed by gun-type joystick, chinrest adjster lever and auto save measurement button.



URK-800-A features an illumination sensor, focusing navigator, multilevel dial types, extremely rapid automatic measurements and accurate data.



Continuous

Observation



Accurate Dioptric **Measurements**



High Illumination **System**

CHART & PROJECTOR



ACP-900 features a wireless control interactive iOS applications managing the functions for the chart system.




24" CHART AND PROJECTOR







Viewlight USA introduces the latest LCD View Charts ULC-900. Displaying a high resolution 24" wide screen and refined digital configurations.





ULC-900 is operated both via automatic wireless or digital settings to provide precise measurements and variable testing examinations.



Contrast 5 - (%) Unit of Index Chart Decimal O Feet Red/Green O Meter ETDRS Chart TYPE 1 Program O TYPE 2 Landont / Snellen **Image** O Landolt Snellen Child Chart



High Resolution Wide Screen

Multiple Test
Programs

High Performance **Polar Filters**